

Radio identification of decameter-wave sources. II: The $30^\circ < \delta < 40^\circ$ declination interval

O.V. Verkhodanov^a, N.V. Verkhodanova^a, H. Andernach^{b,c}

^a Special Astrophysical Observatory of the Russian AS, Nizhnij Arkhyz 369167, Russia

^b Argelander-Institut für Astronomie, Universität Bonn, D-53121, Germany

^c on leave of absence from Departamento de Astronomía, Universidad de Guanajuato, AP 144, Guanajuato CP 36000, Mexico

Received July 23, 2008; accepted August 25, 2008.

This paper is dedicated to the identification of decameter-wave sources of the UTR catalog within declination interval $30^\circ < \delta < 40^\circ$. UTR sources are cross-identified with CATS database catalogs within $40' \times 40'$ error boxes. The sources are deblended using the data on the coordinates of the objects and the behavior of their continuum radio spectra. The spectra of 876 sources are derived and fitted by standard analytical functions. Of these sources, 221 objects have straight-line spectra with spectral indices $\alpha < -1.0$. All objects are catalogued and stored in the CATS database.

PACS: 98.54.-h, 98.54.Gr, 98.62.Tc, 98.62.Ve, 98.70.Dk

1. INTRODUCTION

The catalog composed by the team of Braude et al. using the Ukrainian T-shaped Radio Telescope (UTR) in Khar'kiv and initially published in five papers [1, 2, 3, 4, 5], contains a total of 1822 radio sources with flux measurements at 10, 12.6, 14.7, 16.7, 20, and 25 MHz. This catalog covers 30% of the sky and is so far the lowest-frequency catalog available. Its data can therefore be used to identify objects in the low-frequency part of the spectrum and find their spectra or estimate the upper decameter-wave flux limits for Northern-Sky sources. The original papers [1, 2, 3, 4, 5] provide no radio identifications for 121 (7%) sources, whereas most of the sources (81%) lacked optical identifications.

Of special interest are sources with ultrasteep spectra, for which low-frequency data points on the continuum spectra are needed. This subsample contains quite a sizeable fraction of distant radio galaxies [6, 7, 9, 10, 8]. The most distant radio galaxies with redshifts $z > 4.5$ have been discovered among these objects: $z = 5.199$ [11] and $z = 4.514$ [12]. A distinctive feature of radio galaxies is that their parent galaxies have passively evolving stellar populations even at large redshifts ($z \sim 4$) [13, 14], and this fact can be used to estimate the ages of these stellar systems [15, 16, 17]. Distant radio galaxies are identified with giant elliptical galaxies with absolute magnitudes $M \sim -26$ whose "central engines" are

black holes with masses about $10^9 M_\odot$, which allows them to be used in cosmological tests in a number of tasks of observational radio cosmology, e.g., studies of clustering [18], "K- z " Hubble diagrams [13], "size- z " [19, 20] and, "age- z " diagrams [21], the properties of the radio haloes of clusters of galaxies [22], etc. (see, e.g., reviews [23, 24, 25]).

Our decision to perform radio identification of decameter-wave sources and address the associated deblending problems (i.e., the problems of separating the contribution of radio sources to the total flux measured by a wide-beam radio telescope [26, 27, ?, 29, 30, 31, 32, 33]) was inspired, among other reasons, by our plans to compose lists of objects with ultrasteep radio spectra. A detailed description of the deblending procedure can be found in [27, 30, 33]. We applied this approach to the first lists of radio sources to obtain a catalog of 2316 objects [27] (hereafter referred to as Paper I), which contribute to the decameter-wave flux, and which could be identified with sources at high radio frequencies and in other wavelength domains, and to find models fits to their radio spectra. We include the identifications from the present paper into the CATS database of radio astronomical catalogs (<http://cats.sao.ru>) [34, 35], thereby making them publicly available.

Furthermore, supplementing CATS catalogs with decameter-wave sources increases the efficiency of: (1) the analyses of identification lists obtained at different wavelengths [36, 37, 38, 39, 40, 41, 42], (2)




Figure 1: Sky positions of decameter-wave radio sources in Galactic coordinates. The gray crosses and white circles indicate the sources from Paper I and those identified in this paper, respectively.

the search and study of the properties of radio-galaxy subsamples [43, 44, 45, 46], and (3) modeling of radio-astronomical surveys performed with RATAN-600 [47, 48, 49]. Organization of databases and associating the available heterogeneous measurements with particular objects are tasks of special interest and, as practice shows, such compiled catalogs are popular among the astronomical community [35, 50, 51].

The publication of a new part of the UTR catalog containing 493 radio sources in the declination band $30^\circ < \delta < 40^\circ$ [52, 53] made it possible to expand the list of identifications of such objects [54]. The minimum flux of objects in the new UTR catalog is equal to 10 Jy and 20 Jy at the highest (25 MHz) and lowest (10 MHz) frequencies, respectively. Figure 1 shows sky the positions of the new and old objects.

Braude et al. [52] partially identified their objects with low-frequency catalogs and lists of active galactic nuclei using mostly the 4C catalog [55]. We decided to perform a more detailed identification based on the CATS database by applying the approach described by Verkhodanov et al. [27], and to find the complete characteristics of the spectra of deblended decameter-wave objects in the new declination interval.

2. RADIO IDENTIFICATION

We cross-identified the new list of sources with objects of radio catalogs using the same procedure scheme as we employed in our first paper [27]. Although Braude et al. [52] report more accurate coordinates, we use the old error boxes in order not to overlook sources within the maximum beam size corresponding to the 10-MHz beam. The primary prob-

lem of constructing the spectra of the UTR catalog radio sources found at decameter-wave frequencies (10, 12.6, 14.7, 16.7, 20, and 25 MHz) was due to the difficulties of identifying sources within large error boxes (within $40' \times 40'$ in the case considered) originating often from more than one cross-identification in the CATS database [35]. To address this problem, we performed an interactive reduction of the radio spectra [30] obtained by cross-identifying objects of the UTR catalog with the sources of the CATS database within these $40'$ -side boxes. Tables 1 and 2 list the parameters of the main catalogs used at the initial and final stages of identification, respectively.

We used our own software package *spg* [71, 72] to clean the spectra in accordance with the well-developed technique [27]. During the cleaning process we removed the sources with spectra that did not reach the data points of the UTR catalog when fitted with standard curves. The search for prospective candidates for identification consists of several steps:

- 1) objects of the UTR catalog are cross-identified with the basic radio catalogs of the CATS database with the exception of the highly sensitive (down to 2.5 mJy) NVSS catalog [68];
- 2) all objects from the resulting cross-identification list located within the $(40' \times 40')$ search box and having several data points at different frequencies are selected;
- 3) the spectrum of each object is fitted by an appropriate curve and extrapolated to the UTR frequencies;
- 4) among the objects found inside the search box considered the radio sources are selected that meet the following conditions:

Table 1: *Parameters of the main catalogs used for the identification of decameter-wave objects. The MSL (MASTER SOURCE LIST) contains data compiled from the literature. Data in question were obtained with radio telescopes operating in widely different frequency bands and with different angular resolutions.*

Name	Frequency, MHz	HPBW, arcmin	S_{lim} , Jy	References
6C	151	4.2	~ 200	[56, 57]
7C	151	1.2	80	[58]
MIYUN	232	3.8	~ 100	[59]
WENSS	325	0.9	~ 18	[60]
TXS	365	~ 0.1	~ 200	[61]
B3	408	3×5	100	[62]
WB92	1400	10×11	150	[63]
87GB	4850	3.7	25	[64]
GB6	4850	3.7	15	[65]
MSL	diff.	diff.	diff.	[66, 67]

Table 2: *Parameters of the catalogs used to refine the coordinates*

Name	Frequency, MHz	HPBW, arcmin	S_{lim} , mJy	References
NVSS	1400	0.75	2.5	[68]
FIRST	1400	0.08	1	[69]
VLSS	74	1.33	400	[70]

(a) the flux estimates in the error boxes at the observed UTR frequencies must be as close as possible to the actually observed fluxes; the estimate is obtained from the value of the fitted spectrum at 16.5 MHz;

(b) the coordinates of the radio source should be located as close as possible to the center of mass of the coordinates of the UTR sources.

There may be as many as five candidate objects for identification (and even in one of the cases) (see also Fig. 2).

We assume that all objects meeting the criterion above contribute to the UTR source, i.e., a blending takes place;

5) we adopt the coordinates of these candidate identifications from the following catalogs (in the order of decreasing priority): Texas (365 MHz) [61], GB6 (4850 MHz) [65]. Usually, at least one of these catalogs contains the data on objects falling within the box;

6) we use the resulting coordinates for cross-identification with NVSS objects [68], and then use the NVSS data (fluxes) to refine the spectra;

7) catalog, if one of its objects we consider the coordinates listed in the NVSS catalog to be precise, if one of its objects could be cross-identified with the source, otherwise we adopt the coordinates obtained as described in item (5);

8) we use the coordinates obtained to perform cross-identifications with non-radio catalogs, and then use these coordinates for optical identification and study of the objects of the UTR catalog.

To test the correctness of the spectra obtained, we use the following low-frequency catalogs: 6C (151 MHz) [56, 57], 3C, 4C (178 MHz) [73, 74, 55], as well as CL (26 MHz) [75], WKB (38 MHz) [76], and MSH (85 MHz) [77, 78, 79] from the MASTER SOURCE LIST [66, 67]. Although they did not cover all the previous UTR bands, still they demonstrated the high efficiency of the proposed technique in the regions where observational areas overlapped. The publication (and hence its public availability in the CATS database) of the VLSS catalog [70] with declinations $\delta > 30^\circ$ and with measurements at the frequency of 74 MHz was of great importance for this work; we used it to refine both the radio spectra of the sources and their coordinates.

After this identification—and hence refinement of the coordinates—we performed a cross-correlation with the objects of the NVSS [68] and FIRST [69], catalogs whose basic parameters are summarized in Table 2.

The results of cross-identifications with the data from these catalogs allowed us not only to refine the coordinates, but also to identify multicomponent objects.




Figure 2: The *spg* program screenshot windows showing the initial map of radio sources inside the $40' \times 40'$ search box (top left) and their combined radio spectrum (top right), as well as the sources in the map, resolved into separate objects (bottom left) and the spectra, resolved in a similar way, fitted with analytical functions (bottom right). To demonstrate the capabilities of the *spg* program, its working menu is shown in two modes.

Table 3: Statistics of the spectra of radio-identified decameter-wave sources of the list studied (no fits were performed for the spectra of three objects)

Spectral type	Form of the curve	Number	%
Straight-line spectrum	$+A + B * X$	507	58
Convex (C^+)	$+A \pm B * X - C * X^2$	81	9
Concave (C^-)	$+A - B * X + C * X^2$	254	29
	$\pm A \pm B * X + C * EXP(-X)$	33	4

3. THE CATALOG

We used our identifications of UTR sources to compose a catalog containing a total of 878 objects including all the suspected blends, which is available at http://cats.sao.ru/doc/UTR_ID.html. The catalog contains for each object its equatorial and Galactic coordinates, the spectral indices at 365, 1400, and 4850 MHz, the parameters of the fitting curve, the flag indicating whether the object was identified with optical, infrared (IR), or X-ray

sources in any of the CATS catalogs. We describe the spectra by parametrizing them by the formula $\lg S(\nu) = A + Bx + Cf(x)$, where S is the flux in Jy; x , the logarithm of frequency ν in MHz, and $f(x)$ is one of the functions $\exp(-x)$, $\exp(x)$, or x^2 . We give the results of identification and the formula used to fit the spectra in the Appendix. The columns give (in this order) the name of the object with the blending components (if any) indicated as C_i , the numbers C_i were assigned by source power; the equatorial coordinates

for the epoch of J2000.0; the Galactic coordinates; the flag indicating whether the object was identified with infrared, optical, and X-ray sources in any of the CATS catalogs (the symbols used are “i”, “o”, and “x”, respectively); the spectral indices at 4850, 1400, and 365 MHz, and the form of the spectrum as defined by the above parametrization.

We identified our objects with IR, optical, and X-ray catalogs within the boxes of full width with 30'', 10'', and 30'' size, respectively, centered on the coordinates of the radio sources. For IR identifications we use the data from the catalogs 2MASS and 2MASX [80, 81], IFSC [82], and IPSC [83]. We adopted the optical data from the lists of optical identifications of the 3CR [84] and Texas [85] catalogs; SDSS [86]; VV11 [87]; APM [88]; UGC [89]; PGC [90]; USNO [91, 92] etc. We searched the X-ray counterparts in the ROSAT [93], 1WGA [94], Einstein [95] and Chandra [96] catalogs. For our decameter-wave sources we found a total of 551 IR, 464 optical, and 51 X-ray identifications mostly among active galactic nuclei.

3.1. Statistics of the Spectra

The Table 3 lists the statistics of the spectra of sources fitted by the standard set of curves described above. For three objects no fits were performed of the spectra due to their complex form.

It is evident from the Table 3 that a rather large fraction of objects (33%) exhibits concave spectra, which may be indicative of the complex structure of the source where different components (the nucleus, hot spots, jets, and the halo) contribute to the radio spectrum.

Among the objects with straight-line spectra we found a total of 221 sources with spectral indices $\alpha < -1.0$ ($S \sim \nu^\alpha$). This subsample also includes 98 objects with ultrasteep spectra ($\alpha < -1.1$).

We used the models of the spectra to build the histograms of spectral indices (Fig. 3). We compute the spectral index as the slope of the spectrum (in double-logarithmic scale) at the given frequency. The distribution of the 4850-MHz indices in Fig. 3 shows an excess of objects in the right-hand side of the diagram, which is due to the excess of sources with concave spectra, which, in turn, must be due to the contribution of the flux from the nuclear component of the object.

3.2. Some Remarkable Sources

We now point out several interesting objects included in our list.




Figure 3: *Distribution of the spectral indices of decameter-wave sources at 365 (the solid line), 1400 (the dashed line), and 4850 MHz (the dotted line).*




Figure 4: *The spectra of the blending components of the GRJ0026+35 radio source. The spectrum of the central object (markers aligned along the convex spectrum) is not fitted and shows flat dependence $\log S(\log \nu)$ at low frequencies. Different symbols correspond to different catalogs.*

We did not perform fitting procedures for the three radio sources GRJ0026+35, GRJ0319+41, and GRJ0555+40(C_4) because of the evidently multicomponent nature of their spectra.

GRJ0026+35 is blended with at least two other sources, and the object that is the closest to the coordinates mass center of the decameter-wave measurements shows a low-frequency flattening in its spectrum (Fig. 4). The source is rather powerful at high frequencies and may have a halo emitting at low frequencies, which prevents the cutoff in the spectrum.

GRJ0319+41 is the well-studied source




Figure 5: Spectra of the GRJ0319+41 radio galaxy (Perseus A). The fluxes measured at different epochs show substantial scatter at high frequencies; this is due to its known variability.




Figure 6: The NVSS map of the $30' \times 30'$ region centered on GRJ1646+40. The dark spots are radio sources.

Perseus A (3C 84, NGC 1275). Its high-frequency radio spectrum shows very large scatter due to variability (Fig. 5).

GRJ0555+40(C_4) is a powerful object at low frequencies. It is located in the field of the decameter-wave source. GRJ0555+40 shows a cutoff at low frequencies and it most likely does not contribute to the decameter-wave flux.

The UTR radio source GRJ1646+40 has the maximum number of blending components among the objects of our list (Fig. 6). Despite the apparently high density of bright radio objects, the effect is most likely due to chance alignment.

We also point out the radio sources with spectral indices smaller than -1.3 :

- GRJ0154+40(C_2) with $\alpha = -1.44$;
- GRJ0555+40(C_2) with $\alpha = -1.57$;
- GRJ1055+37 with $\alpha = -1.66$;
- GRJ1153+37 with $\alpha = -1.66$; the source coincides with the galaxy cluster MaxBCG J178.15191+37.54548 in NED;
- GRJ1240+37(C_4) with $\alpha = -1.42$; the source coincides with the galaxy cluster MaxBCG J189.97692+37.73205 in NED;
- GRJ2313+38 with $\alpha = -1.48$; the source is probably a cluster dominated by the 2MASX galaxy J23134832+3842315.

4. CONCLUSIONS

We performed cross-identification of decameter-wave radio sources of the UTR catalog in the declination interval $30^\circ < \delta < 40^\circ$ by searching for objects from the catalogs of the CATS database within the $40' \times 40'$ error box. We built the spectra of 876 sources and fitted them by standard analytical functions. These sources include 221 objects with straight-line spectra and spectral indices $\alpha < -1.0$. We provide access to all our catalogued objects from within the CATS database.

Acknowledgements. This work makes use if the CATS database of radio-astronomical catalogs¹ [34, 35] and FADPS system of reduction of radio astronomical data² [71, 72]. Authors are thankful to S.A. Trushkin for the compilation of the initial UTR XIII catalog within the CATS database. H.A. acknowledges support from grant 81356 from CONACyT of Mexico and the hospitality of the Emmy-Noether Research Group of T. Reiprich at AlfA Univ. of Bonn, Germany, where partial support from the Transregional Collaborative Research Center TRR33 “The Dark Universe” was received. This work was supported partially by the Russian Foundation for Basic Research (grants 07-02-01417, 08-02-00159, and 08-02-00504).

References

1. S. Ya. Braude, A. V. Megn, S. L. Rashkovski, et al., *Astrophys. Space Sci.* **54**, 37 (1978).
2. S. Ya. Braude, A. V. Megn, K. P. Sokolov, et al., *Astrophys. Space Sci.* **64**, 73 (1979).
3. S. Ya. Braude, A. P. Miroshnichenko, K. P. Sokolov, and N. K. Sharykin, *Astrophys. Space Sci.* **74**, 409 (1981).

¹ <http://cats.sao.ru>

² http://sed.sao.ru/~vo/fadps_e.html

4. S. Ya. Braude, N. K. Sharykin, K. P. Sokolov, and S. M. Zakharenko, *Astrophys. Space Sci.* **111**, 1 (1985).
5. S. Ya. Braude, K. P. Sokolov, and S. M. Zakharenko, *Astrophys. Space Sci.* **213**, 1 (1994).
6. R. D. Dagkesamanskii, *Nature* **226**, 432 (1970).
7. G. Blumenthal and G. Miley, *A&A* **80**, 13 (1979).
8. C. de Breuck, W. van Breugel, H. J. A. Röttgering, and G. Miley, *A&AS* **143**, 303 (2000).
9. Yu. N. Parijskij, W. M. Goss, A. I. Kopylov, et al., *Bull. Spec. Astrophys. Obs.* **40**, 5 (1996).
10. Yu. N. Parijskij, W. M. Goss, A. I. Kopylov, et al., *Astron. Astrophys. Trans.* **18**, 437 (1999).
11. De Breuck C., W. van Breugel, S. A. Stanford, et al., *AJ* **123**, 637 (2002).
12. A. I. Kopylov, W. M. Goss, Yu. N. Pariiskii, et al., *Astronom. Lett.* **32**, 433 (2006), arXiv:0705.2971.
13. C. J. Willot, R. J. McLure, and M. J. Jarvis, *ApJ* **587**, L1 (2003).
14. O. V. Verkhodanov, A. I. Kopylov, Yu. N. Pariiskii, et al., *Astronomy Lett.* **31**, 221 (2005), arXiv:0705.3046.
15. O. V. Verkhodanov; A. I. Kopylov, Yu. N. Parijskij, et al., *Bull. Spec. Astrophys. Obs.* **48**, 41 (1999), astro-ph/9910559.
16. O. V. Verkhodanov, Yu. N. Parijskij, N. S. Soboleva, et al., *Bull. Spec. Astrophys. Obs.* **52**, 5 (2001), astro-ph/0203522.
17. O. V. Verkhodanov, A. I. Kopylov, O. P. Zhelelenkova, et al., *Astron. Astrophys. Trans.* **19**, 663 (2000) astro-ph/9912359.
18. C. Blake and J. Wall, *MNRAS* **337**, 993 (2002).
19. E. J. Guerra, R. A. Daly, and L. Wan, *ApJ* **544**, 659 (2000).
20. J. C. Jackson and A. L. Jannetta, *JCAP* **11**, 002 (2006).
21. O. V. Verkhodanov, Yu. N. Parijskij and A. A. Starobinsky, *Bull. Spec. Astrophys. Obs.* **58**, 5 (2005), arXiv:0705.2776.
22. S. Colafrancesco and B. Mele, *ApJ* **562**, 24 (2001).
23. O. V. Verkhodanov and Yu. N. Parijskij, *Bull. Spec. Astrophys. Obs.* **55**, 66 (2003).
24. O. V. Verkhodanov and Yu. N. Parijskij, *Radio galaxies and Cosmology*, (Fiz.Mat.Lit., Moscow 2008) [in Russian] (in press).
25. G. Miley and C. De Breuck, *Astron. Astroph. Rev* **15**, 67 (2008).
26. O. Verkhodanov, H. Andernach, N. Verkhodanova and N. Loiseau, in *Proceedings of "Observational Cosmology with the New Radio Surveys"*, Ed. by M. Bremer, N. Jackson and I. Pérez-Fournon, Kluwer Acad. Publ., *ASSL* **226**, 255 (1998), astro-ph/9703142.
27. O. Verkhodanov, H. Andernach and N. Verkhodanova, *Bull. Spec. Astrophys. Obs.* **49**, 53 (2000). astro-ph/0008431.
28. O. V. Verkhodanov, H. Andernach and N. V. Verkhodanova, *Astron. Astrophys. Trans.* **19**, 543 (2000).
29. O. V. Verkhodanov, H. Andernach and N. V. Verkhodanova, *Astron. Astrophys. Trans.* **20**, 321 (2001).
30. O. V. Verkhodanov, H. Andernach and N. V. Verkhodanova, in *Proceedings of 199 Symp. IAU*, "The Universe at Low Radio Frequencies", Ed. by A. Pramesh Rao, G. Swarup, and Gopal-Krishna, p.215 (2002), astro-ph/9912331.
31. H. Andernach, O. V. Verkhodanov and N. V. Verkhodanova, in *Proceedings of 199 Symp. IAU*, "The Universe at Low Radio Frequencies", Ed. by A. Pramesh Rao, G. Swarup, and Gopal-Krishna, 217 (2002).
32. N. V. Verkhodanova, O. V. Verkhodanov, and H. Andernach, in *Proceedings of 184 Colloq. IAU*, "AGN Surveys", Ed. by R. F. Green, E. Ye. Khachikian, and D. B. Sanders, *ASP Conf. Ser.* **284**, 306 (2002), astro-ph/0112143.
33. O. V. Verkhodanov, N. V. Verkhodanova, and H. Andernach, *Astronomy Reports* **47**, 110 (2003).
34. O. V. Verkhodanov, S. A. Trushkin, H. Andernach, and V. N. Chernenkov, *ASP Conf. Ser.* **125**, 322 (1997).
35. O. V. Verkhodanov, S. A. Trushkin, H. Andernach, and V. N. Chernenkov, *Bull. Spec. Astrophys. Obs.* **58**, 118 (2005), arXiv:0705.2959.
36. S. A. Trushkin and O. V. Verkhodanov, *Bull. Spec. Astrophys. Obs.* **39**, 150 (1995).
37. S. A. Trushkin and O. V. Verkhodanov, *Baltic Astronomy* **6**, 345 (1997).
38. O. V. Verkhodanov and S. A. Trushkin, *Bull. Spec. Astrophys. Obs.* **50**, 115 (2000).
39. O. V. Verkhodanov, V. H. Chavushyan, R. Mujica, et al., *Astron. Reports* **47**, 119 (2003).
40. V. H. Chavushyan, O. V. Verkhodanov, J. R. Valdes, et al., *Astrophysics* **48**, 113 (2005).
41. S. K. Balayan and O. V. Verkhodanov, *Survey. Astrophysics* **47**, 505 (2004).
42. S. A. Trushkin, *Bull. Spec. Astrophys. Obs.* **55**, 90 (2003).
43. O. V. Verkhodanov, A. I. Kopylov, Yu. N. Parijskij, et al., *Bull. Spec. Astrophys. Obs.* **48**, 41 (1999), astro-ph/9910559.
44. O. V. Verkhodanov, *Astronomy Reports* **38**, 307 (1994).
45. O. V. Verkhodanov and N. V. Verkhodanova, *Astron. Reports* **43**, 417 (1999).
46. Yu. N. Parijskij, W. M. Goss, O. V. Verkhodanov, et al., *Bull. Spec. Astrophys. Obs.* **48**, 5 (1999), astro-ph/9910383.
47. V. L. Gorokhov and O. V. Verkhodanov, *Astronomy Lett.* **20**, 671 (1994).
48. M. L. Khabibullina, O. V. Verkhodanov, and Yu. N. Parijskij, *Astrophys. Bull.* **63**, 101 (2008).
49. E. K. Majorova, *Astrophys. Bull.* **63**, 56 (2008).
50. H. Andernach, *Astrophys. Lett. Commun.* **31**, 1 (1995).
51. B. Vollmer, E. Davoust, P. Dubois, et al., *A&A* **431**, 1177 (2005).
52. S. Ya. Braude et al., *Astrophys. Space Sci.* **280**, 235 (2002).
53. S. Ya. Braude et al., *Kinematika i Fizika Nebesnykh Tel*, **19**, 291 (2003).
54. O. V. Verkhodanov, N. V. Verkhodanova, H. An-

- Andernach, in *Proceedings of Internat. Conf. "Problems of Practical Cosmology"*, Ed. by Yu. Baryshev, Igor N. Taganov, P. Teerikorpi, Russian Geograph. Soc., St.Petersburg, V.**II**, 251 (2008).
55. J. D. H. Pilkington and P. F. Scott, *Mem. Roy. Astron. Soc.* **69**, 183 (1965).
 56. S. E. G. Hales, J. E. Baldwin, and P. J. Warner, *MNRAS* **234**, 919 (1988).
 57. S. E. G. Hales, C. R. Masson, P. J. Warner, and J. E. Baldwin, *MNRAS* **246**, 256 (1990).
 58. M. M. McGilchrist, J. E. Baldwin, J. M. Riley, et al., *MNRAS* **246**, 110 (1990).
 59. X. Zhang, Y. Zheng, H. Chen, et al., *A&AS* **121**, 59 (1997).
 60. R. B. Rengelink, Y. Tang, A. G. de Bruyn, et al., *A&AS* **124**, 259 (1997).
 61. J. N. Douglas, F. N. Bash, F. A. Bozayan, et al., *AJ* **111**, 1945 (1996).
 62. A. Ficarra, G. Grueff, and G. Tomassetti, *A&AS* **59**, 255 (1985).
 63. R. L. White and R. H. Becker, *ApJS* **79**, 331 (1992).
 64. P. C. Gregory and J. J. Condon, *ApJS* **75**, 1011 (1991).
 65. P. C. Gregory, W. K. Scott, K. Douglas, and J. J. Condon, *ApJS* **103**, 427 (1996).
 66. R. S. Dixon, *ApJS* **20**, 1 (1970).
 67. R. S. Dixon, 1981, Master List of Radio Sources, version 43 (with corrections by H. Andernach, 15/Nov/98).
 68. J. J. Condon, W. D. Cotton, E. W. Greisen, et al., *AJ* **115**, 1693 (1998).
 69. R. L. White, R. H. Becker, D. J. Helfand, and M. D. Gregg, *ApJ* **475**, 479 (1997).
 70. A. S. Cohen, W. M. Lane, W. D. Cotton, et al., *AJ* **134**, 1245 (2007).
 71. O. V. Verkhodanov, *ASP Conf. Ser.* **125**, 46 (1997).
 72. O. V. Verkhodanov, B. L. Erukhimov, M. L. Monosov, et al., *Bull. Spec. Astrophys. Obs.* **36**, 132 (1993).
 73. D. O. Edge, J. R. Shakeshaft, W. B. McAdam, et al., J.E., Archer S., *MNRAS* **68**, 37 (1959).
 74. A. S. Bennett, *Mem. Roy. Astr. Soc.* **68**, 163 (1961).
 75. M. R. Viner and W. C. Erickson, *AJ* **80**, 931 (1975).
 76. P. J. S. Williams, S. Kenderdine, and J. E. Baldwin, *Mem. R. Astron. Soc.* **70**, 53 (1966).
 77. B. Y. Mills, O. B. Slee, and E. R. Hill, *Australian J. Phys.* **11**, 360 (1958).
 78. B. Y. Mills, O. B. Slee, and E. R. Hill, *Australian J. Phys.* **13**, 676 (1960).
 79. B. Y. Mills, O. B. Slee, and E. R. Hill, *Australian J. Phys.* **14**, 497 (1961).
 80. M. F. Skrutskie, S. E. Schneider, R. Stiening, et al., in *The Impact of Large Scale Near-IR Sky Surveys*, Ed. by F. Garzon et al., (Kluwer Acad. Publ. Comp., Dordrecht 1997) p.25.
 81. IPAC, Explanatory Supplement to the 2MASS Second Incremental Data Release, <http://www.ipac.caltech.edu/2mass/releases/second/doc/explsup.html> (2002).
 82. M. Moshir, IRAS Faint Source Survey, Explanatory supplement, Version 1 and tape, Pasadena: Infrared Processing and Analysis Center, California Institute of Technology, Ed. by M. Moshir (1989).
 83. IRAS group, IRAS Point source catalogue; Catalogs and Atlases, Explanatory Supplement, Joint IRAS Science Working Group (1987).
 84. H. Spinrad, S. Djorgovski, J. Marr, and L. Aguilar, *PASP* **97**, 93 (1985).
 85. E. P. Bozayan, *ApJS* **82**, 1 (1992).
 86. D. P. Schneider, P. B. Hall, G. T. Richards, et al., *AJ* **134**, 102 (2007).
 87. M.-P. Veron-Cetty and P. Veron, *A&A* **412**, 399 (2003).
 88. R. G. McMahon, R. L. White, D. J. Helfand, et al., *ApJS* **143**, 1 (2002).
 89. W. D. Cotton, J. J. Condon, and E. Arbiziani, *ApJS* **125**, 409 (1999).
 90. G. Paturel, P. Fouque, L. Bottinelli, and L. Gougouenheim, *A&AS* **80**, 299 (1989).
 91. D. G. Monet, The 526,280,881 Objects In The USNO-A2.0 Catalog, American. Astron. Soc., 19312003 (1998).
 92. D. Monet, B. Canzian, H. Harris, et al., USNO-SA2.0, US Naval Observatory Flagstaff Station (1997).
 93. W. Voges, B. Aschenbach, Th. Boller, et al., *A&A* **349**, 389 (1999).
 94. N. E. White, P. Giommi, and L. Angelini, *A&AS* **185**, 4111 (1994).
 95. E. C. Moran, D. J. Helfand, R. H. Becker and R. L. White, *ApJ* **461**, 127 (1996).
 96. D.-W. Kim, R. A. Cameron, J. J. Drake, et al., *ApJS* **150**, 19 (2004).

Table 4: APPENDIX. Radio identification and spectra of decametric sources.

Name	RA+Dec (J2000.0)	$l + b$	Id	α	Spectrum
	hhmmss.ss+ddmmss.s	° °		4850,1400,365	
1	2	3	4	5	6
GRJ0013+34	001344.09+344140.6	114.844−27.348	io	−0.80 −0.80 −0.80	+2.648 − 0.802 x
GRJ0013+40	001331.09+405135.9	115.812−21.245	iox	−0.28 −0.50 −0.75	+3.852 − 1.818 x + 0.209 x^2
GRJ0013+40 C_2	001252.90+403246.6	115.634−21.538		−0.67 −0.88 −1.11	+4.147 − 2.120 x + 0.197 x^2
GRJ0013+40 C_3	001313.35+405300.4	115.756−21.214	i	−0.28 −0.71 −1.18	+5.268 − 3.240 x + 0.402 x^2
GRJ0014+32	001506.23+321613.2	114.746−29.787	io	−0.53 −0.60 −0.68	+2.809 − 1.035 x + 0.069 x^2
GRJ0014+32 C_2	001613.30+323839.3	115.078−29.452	io	−0.76 −0.88 −1.03	+3.622 − 1.640 x + 0.120 x^2
GRJ0026+35	002641.64+350842.5	117.873−27.233	io	−0.43 −0.48 −0.57	<i>halo</i> ?
GRJ0026+35 C_2	002652.01+355623.9	117.998−26.445	io	−0.58 −0.86 −1.16	+4.392 − 2.502 x + 0.261 x^2
GRJ0026+35 C_3	002826.43+353950.2	118.325−26.750	io	−1.02 −1.02 −1.02	+2.478 − 1.021 x
GRJ0034+39	003414.40+392417.7	119.901−23.107	io	−1.22 −1.09 −0.94	+2.436 − 0.299 x − 0.125 x^2
GRJ0038+33	003915.64+335743.4	120.700−28.595	io	−0.93 −1.05 −1.17	+3.686 − 1.731 x + 0.109 x^2
GRJ0038+33 C_2	003809.62+335416.1	120.437−28.642	o	−0.28 −0.49 −0.88	−1.585 + 0.006 x + 11.530 e^{-x}
GRJ0038+35	003813.75+355339.2	120.559−26.655	io	−0.66 −0.97 −1.29	+4.692 − 2.728 x + 0.280 x^2
GRJ0038+35 C_2	003900.52+355056.7	120.734−26.707	io	−0.94 −1.04 −1.14	+3.304 − 1.597 x + 0.089 x^2
GRJ0038+35 C_3	003904.17+360458.7	120.759−26.474	o	−1.13 −1.13 −1.13	+2.854 − 1.132 x
GRJ0038+38	003743.72+384805.1	120.601−23.746		−0.74 −0.87 −1.02	+3.819 − 1.673 x + 0.127 x^2
GRJ0041+33	004055.01+331007.2	121.058−29.401	ox	−0.88 −0.80 −0.71	+2.249 − 0.313 x − 0.077 x^2
GRJ0043+37	004345.27+372730.0	121.850−25.130	io	−0.88 −1.04 −1.22	+4.124 − 1.991 x + 0.151 x^2
GRJ0043+37 C_2	004207.19+373937.4	121.499−24.920	i	−1.05 −1.05 −1.05	+3.211 − 1.047 x
GRJ0043+37 C_3	004238.60+374449.6	121.615−24.836	i	−0.89 −1.01 −1.14	+3.795 − 1.727 x + 0.114 x^2
GRJ0052+29	005344.43+292508.1	124.233−33.170	iox	−0.23 −0.56 −0.91	+4.373 − 2.451 x + 0.301 x^2
GRJ0054+40	005427.31+404211.7	124.114−21.885	o	−0.94 −0.94 −0.94	+2.857 − 0.941 x
GRJ0054+40 C_2	005332.35+403443.5	123.930−22.013		−0.33 −0.72 −1.15	+4.966 − 3.027 x + 0.366 x^2
GRJ0054+40 C_3	005331.77+402721.4	123.930−22.136	io	−0.48 −0.77 −1.09	+4.481 − 2.489 x + 0.273 x^2
GRJ0054+40 C_4	005331.90+403106.0	123.929−22.073	i	−0.58 −0.79 −1.02	+4.047 − 2.020 x + 0.195 x^2
GRJ0059+30	005957.51+300224.1	125.812−32.500		−0.84 −1.11 −1.39	+4.845 − 2.660 x + 0.247 x^2
GRJ0059+30 C_2	005748.34+302114.3	125.245−32.208	i	−0.18 −0.31 −0.56	−0.179 + 0.001 x + 7.245 e^{-x}
GRJ0107+32	010726.91+322416.4	127.498−30.035	i	−0.66 −0.66 −0.66	+2.758 − 0.659 x
GRJ0113+29	011325.94+295843.9	129.262−32.325	i x	−0.42 −0.67 −0.94	+4.240 − 2.133 x + 0.232 x^2
GRJ0114+37	011450.23+373231.5	128.638−24.776	io	−1.12 −1.12 −1.12	+2.473 − 1.116 x
GRJ0114+37 C_2	011320.93+371512.1	128.348−25.094	io	−0.57 −0.79 −1.04	+3.614 − 2.102 x + 0.208 x^2
GRJ0116+40	011727.59+401250.1	128.858−22.063	io	−0.82 −1.00 −1.20	+3.821 − 2.062 x + 0.169 x^2
GRJ0116+40 C_2	011624.48+401723.9	128.633−22.011	i	−0.91 −0.91 −0.91	+2.619 − 0.906 x
GRJ0116+40 C_3	011515.03+402011.3	128.391−21.989	i	−0.96 −1.05 −1.14	+3.277 − 1.550 x + 0.080 x^2
GRJ0117+35	011753.09+355850.0	129.512−26.255	o	−0.88 −0.88 −0.88	+2.476 − 0.883 x
GRJ0123+38	012252.12+381818.9	130.256−23.818	o	−1.19 −1.19 −1.19	+2.826 − 1.186 x
GRJ0123+38 C_2	012156.83+375629.9	130.116−24.204	i	−0.94 −0.94 −0.94	+2.553 − 0.939 x
GRJ0123+38 C_3	012200.24+380149.4	130.114−24.114	i	−1.22 −1.10 −0.97	+1.876 − 0.399 x − 0.112 x^2
GRJ0127+33	012644.40+331309.5	131.997−28.722	io	−0.74 −0.70 −0.66	+2.385 − 0.477 x − 0.035 x^2
GRJ0127+33 C_2	012800.55+324429.1	132.389−29.148	io	−1.13 −1.13 −1.13	+3.308 − 1.135 x
GRJ0128+29	012830.26+290259.7	133.271−32.763	io	−0.94 −0.85 −0.76	+2.337 − 0.346 x − 0.080 x^2
GRJ0128+34	012859.21+344805.4	132.213−27.084	i x	−0.41 −0.78 −1.17	+4.678 − 2.896 x + 0.337 x^2
GRJ0128+34 C_2	012943.36+343659.5	132.416−27.240	io	−0.38 −0.62 −0.87	+3.101 − 1.995 x + 0.219 x^2
GRJ0128+34 C_3	012735.69+345550.9	131.872−27.005	io	−0.76 −0.76 −0.76	+2.205 − 0.765 x
GRJ0128+34 C_4	012816.26+342345.5	132.128−27.509	i	−1.12 −1.12 −1.12	+2.388 − 1.116 x
GRJ0136+37	013527.89+375401.3	133.000−23.798	io	−0.99 −0.99 −0.99	+3.188 − 0.989 x
GRJ0137+30	013654.24+301431.5	135.102−31.233	o	−1.13 −1.04 −0.94	+2.575 − 0.503 x − 0.085 x^2
GRJ0137+30 C_2	013809.23+300308.7	135.459−31.359	i	−0.76 −0.87 −0.98	+2.994 − 1.472 x + 0.096 x^2
GRJ0137+30 C_3	013440.68+300404.8	134.594−31.504		−0.76 −0.94 −1.15	+3.895 − 2.038 x + 0.174 x^2
GRJ0137+39	013750.00+385132.9	133.287−22.766	io	−0.76 −0.82 −0.89	+2.764 − 1.176 x + 0.056 x^2

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ0140+39	013927.25+395654.5	133.375–21.635	i x	–1.10 –1.10 –1.10	+3.347 – 1.095x
GRJ0141+29	014107.64+293809.3	136.306–31.617		–0.71 –0.87 –1.04	+3.556 – 1.808x + 0.149x ²
GRJ0141+29 C_2	014127.65+294238.8	136.368–31.527	iox	–0.82 –0.90 –0.97	+3.159 – 1.317x + 0.067x ²
GRJ0144+34	014411.65+341157.2	135.795–27.029	io	–0.82 –0.85 –0.89	+2.978 – 1.051x + 0.032x ²
GRJ0154+40	015348.03+405559.1	135.965–20.034	i	–0.95 –1.05 –1.15	+3.491 – 1.602x + 0.088x ²
GRJ0154+40 C_2	015356.11+405352.9	136.001–20.061	i	–1.44 –1.44 –1.44	+3.071 – 1.444x
GRJ0154+40 C_3	015551.58+411054.8	136.291–19.691	i	–0.70 –0.79 –0.89	+2.146 – 1.333x + 0.086x ²
GRJ0154+40 C_4	015341.65+403302.7	136.051–20.408	i	–0.34 –0.60 –0.88	+3.363 – 2.106x + 0.239x ²
GRJ0157+28	015712.84+285138.2	140.515–31.415	io	–1.05 –1.05 –1.05	+3.652 – 1.051x
GRJ0157+29	015557.59+295545.4	139.836–30.478	io	–1.07 –1.07 –1.07	+2.928 – 1.065x
GRJ0157+32	015717.67+321427.7	139.364–28.185	io	–0.92 –0.92 –0.92	+2.465 – 0.924x
GRJ0157+32 C_2	015715.30+315417.5	139.468–28.509	iox	–0.64 –0.70 –0.77	+2.739 – 1.056x + 0.056x ²
GRJ0200+40	020049.80+404717.0	137.366–19.805	i	–1.08 –1.08 –1.08	+3.400 – 1.081x
GRJ0200+40 C_2	020006.20+405013.5	137.211–19.798	io	–1.06 –1.06 –1.06	+3.255 – 1.056x
GRJ0204+36	020420.77+363253.7	139.448–23.640	o	–1.07 –1.07 –1.07	+2.826 – 1.069x
GRJ0206+30	020512.74+303717.9	141.771–29.192	io	–0.31 –0.54 –0.97	–1.927 + 0.001x + 12.588e ^{–x}
GRJ0206+30 C_3	020414.16+304515.4	141.494–29.136	i x	–1.32 –1.32 –1.32	+2.851 – 1.324x
GRJ0207+29	020700.96+293040.1	142.625–30.106	i	–0.80 –0.80 –0.80	+2.830 – 0.799x
GRJ0207+29 C_2	020709.87+293140.8	142.654–30.079	io	–1.00 –1.00 –1.00	+3.115 – 0.998x
GRJ0207+33	020656.65+330127.6	141.261–26.804	i	–0.74 –0.74 –0.74	+2.211 – 0.742x
GRJ0207+33 C_2	020556.64+330229.6	141.033–26.857	iox	–0.42 –0.66 –0.92	+3.205 – 2.068x + 0.224x ²
GRJ0209+35	020938.54+354750.0	140.819–24.004	io	–0.64 –0.64 –0.64	+2.320 – 0.641x
GRJ0212+38	021243.71+385052.5	140.331–20.925		–0.90 –0.90 –0.90	+2.125 – 0.898x
GRJ0212+38 C_2	021250.38+391718.8	140.193–20.503		–1.12 –1.12 –1.12	+2.319 – 1.123x
GRJ0213+32	021427.16+325207.7	142.974–26.404	i	–1.23 –1.23 –1.23	+3.073 – 1.229x
GRJ0213+32 C_2	021405.93+325013.9	142.910–26.460	i	–0.42 –0.68 –0.95	+3.715 – 2.154x + 0.235x ²
GRJ0213+32 C_3	021326.75+330757.1	142.649–26.233		–0.82 –0.86 –0.91	+2.219 – 1.128x + 0.042x ²
GRJ0215+35	021458.10+350638.8	142.194–24.273	o	–0.87 –0.87 –0.87	+2.655 – 0.869x
GRJ0215+36	021518.19+361755.5	141.802–23.139	io	–1.03 –1.03 –1.03	+2.732 – 1.033x
GRJ0219+36	022020.42+365916.6	142.550–22.129	i	–0.42 –0.58 –0.75	+3.191 – 1.479x + 0.143x ²
GRJ0219+36 C_2	022010.23+365848.3	142.519–22.149	i	–0.23 –0.39 –0.69	–0.825 + 0.001x + 9.017e ^{–x}
GRJ0220+35	022105.48+355613.5	143.128–23.047	io	–0.14 –0.23 –0.42	–0.058 + 0.000x + 5.434e ^{–x}
GRJ0220+35 C_2	022237.67+360100.2	143.408–22.855	io	–1.08 –1.08 –1.08	+2.476 – 1.084x
GRJ0223+39	022343.10+400052.9	141.994–19.075	o	–1.12 –1.01 –0.88	+2.604 – 0.346x – 0.105x ²
GRJ0223+39 C_2	022150.37+395501.6	141.679–19.300	io	–0.98 –0.98 –0.98	+3.063 – 0.982x
GRJ0223+39 C_3	022150.66+400922.8	141.586–19.078		–0.97 –1.04 –1.13	+3.182 – 1.504x + 0.073x ²
GRJ0228+37	022813.69+371257.8	144.017–21.312	io	–1.06 –1.06 –1.06	+2.825 – 1.062x
GRJ0228+37 C_2	022801.79+370336.7	144.045–21.470	io	–1.01 –1.01 –1.01	+2.724 – 1.013x
GRJ0230+29	022949.50+293815.3	147.804–28.074	io	–1.06 –1.06 –1.06	+2.940 – 1.057x
GRJ0230+29 C_2	023120.53+294200.7	148.111–27.875		–1.13 –0.93 –0.71	+0.544 + 0.240x – 0.186x ²
GRJ0230+29 C_3	023118.20+292848.7	148.210–28.077		–0.76 –0.76 –0.76	+1.743 – 0.764x
GRJ0232+34	023228.71+342405.7	146.119–23.523	iox	–1.05 –0.97 –0.88	+2.713 – 0.507x – 0.073x ²
GRJ0232+35	023229.33+353055.6	145.612–22.512	o	–0.95 –0.95 –0.95	+2.762 – 0.954x
GRJ0232+39	023149.06+393302.7	143.700–18.892	o	–1.01 –1.01 –1.01	+3.014 – 1.007x
GRJ0233+32	023407.71+322620.1	147.383–25.149	i	–0.27 –0.47 –0.85	–1.507 + 0.005x + 11.046e ^{–x}
GRJ0233+32 C_2	023350.77+324617.0	147.165–24.875	i	–0.81 –1.06 –1.34	+3.763 – 2.541x + 0.235x ²
GRJ0233+32 C_3	023153.85+322723.9	146.905–25.336	i	–0.33 –0.62 –0.93	+3.508 – 2.295x + 0.266x ²
GRJ0233+32 C_4	023312.38+325651.5	146.948–24.774		–0.44 –0.70 –0.97	+3.603 – 2.194x + 0.238x ²
GRJ0234+31	023423.77+313418.4	147.859–25.905	io	–1.57 –1.39 –1.20	+2.719 – 0.346x – 0.166x ²
GRJ0235+29	023535.38+290857.5	149.325–27.960	o	–1.21 –1.12 –1.01	+2.709 – 0.550x – 0.090x ²

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ0235+38	023428.51+384455.5	144.547–19.410	i	–0.23 –0.39 –0.71	$-1.151 + 0.007x + 9.301e^{-x}$
GRJ0235+38 C_2	023525.62+390048.2	144.607–19.092	i	–0.43 –0.67 –0.92	$+2.973 - 2.018x + 0.215x^2$
GRJ0235+38 C_3	023420.88+385146.6	144.472–19.316	i	–0.07 –0.59 –1.16	$+5.382 - 3.646x + 0.485x^2$
GRJ0235+38 C_4	023455.50+391009.6	144.445–18.991		0.01 –0.53 –1.12	$+5.389 - 3.711x + 0.505x^2$
GRJ0236+30	023701.24+302611.8	148.984–26.671	i	–1.04 –1.04 –1.04	$+2.992 - 1.044x$
GRJ0236+41	023552.61+412301.2	143.645–16.904	i x	–0.91 –0.91 –0.91	$+2.772 - 0.910x$
GRJ0244+36	024416.26+364400.3	147.336–20.375	o	–1.21 –1.21 –1.21	$+2.911 - 1.214x$
GRJ0244+36 C_2	024526.11+364734.3	147.528–20.215		–0.78 –0.85 –0.93	$+2.261 - 1.267x + 0.066x^2$
GRJ0244+39	024429.69+393343.3	146.020–17.834	io	–0.67 –0.79 –0.91	$+3.456 - 1.459x + 0.107x^2$
GRJ0244+39 C_2	024528.50+394641.8	146.095–17.555	io	–0.96 –0.90 –0.83	$+1.230 - 0.547x - 0.056x^2$
GRJ0245+29	024441.09+292448.9	151.162–26.802		–0.93 –0.93 –0.93	$+2.845 - 0.928x$
GRJ0247+37	024731.92+375451.3	147.370–19.028	io	–0.82 –0.82 –0.82	$+2.369 - 0.821x$
GRJ0248+29	024842.32+295555.6	151.732–25.924		–1.62 –1.42 –1.21	$+2.288 - 0.269x - 0.183x^2$
GRJ0250+33	024957.00+333240.1	150.050–22.643	io	–1.31 –1.16 –0.99	$+1.953 - 0.270x - 0.141x^2$
GRJ0251+39	025012.26+393434.7	147.039–17.315	i	–0.87 –0.87 –0.87	$+2.983 - 0.865x$
GRJ0253+38	025351.92+384137.3	148.134–17.753		–1.15 –1.15 –1.15	$+3.240 - 1.154x$
GRJ0253+38 C_2	025308.89+383525.4	148.057–17.911	io	–0.21 –0.35 –0.63	$-0.579 - 0.003x + 8.084e^{-x}$
GRJ0301+35	030152.08+355025.2	151.093–19.430	io	–0.98 –0.98 –0.98	$+2.934 - 0.975x$
GRJ0304+31	030524.55+312928.2	154.223–22.736	i	–0.64 –0.77 –0.91	$+3.150 - 1.521x + 0.120x^2$
GRJ0304+31 C_2	030419.17+312755.9	154.026–22.882	io	–0.93 –0.93 –0.93	$+2.288 - 0.925x$
GRJ0304+37	030507.93+372646.1	150.805–17.717	i	–0.73 –0.91 –1.11	$+3.734 - 2.001x + 0.173x^2$
GRJ0304+37 C_2	030421.20+374629.7	150.487–17.517	i	–0.63 –0.86 –1.11	$+3.901 - 2.225x + 0.217x^2$
GRJ0306+34	030452.23+351208.6	151.999–19.656	o	–0.70 –0.79 –0.89	$+2.991 - 1.313x + 0.083x^2$
GRJ0307+33	030604.83+333630.6	153.126–20.874	i	–0.28 –0.48 –0.86	$-1.770 + 0.003x + 11.206e^{-x}$
GRJ0307+33 C_2	030738.12+333251.5	153.454–20.751		–0.18 –0.67 –1.20	$+5.195 - 3.538x + 0.456x^2$
GRJ0307+33 C_3	030549.27+325343.7	153.487–21.505	i	–0.66 –0.66 –0.66	$+1.154 - 0.662x$
GRJ0312+39	031226.34+391630.3	151.059–15.407	iox	–0.67 –0.73 –0.80	$+3.135 - 1.098x + 0.058x^2$
GRJ0314+36	031438.81+363115.0	153.008–17.477	io	–1.04 –1.04 –1.04	$+2.942 - 1.042x$
GRJ0314+36 C_2	031520.04+363120.3	153.127–17.399		–0.23 –0.65 –1.10	$+4.984 - 3.098x + 0.389x^2$
GRJ0316+31	031618.37+320442.9	155.948–20.962	i	–0.96 –0.96 –0.96	$+2.500 - 0.965x$
GRJ0316+31 C_2	031545.25+315640.2	155.926–21.139	i	–1.03 –1.03 –1.03	$+2.221 - 1.032x$
GRJ0316+31 C_3	031552.05+320614.8	155.850–20.994		–1.25 –1.03 –0.81	$+0.679 + 0.199x - 0.196x^2$
GRJ0316+34	031654.32+343714.6	154.525–18.797	io	–1.52 –1.31 –1.08	$+1.895 - 0.068x - 0.197x^2$
GRJ0316+34 C_2	031623.40+335833.3	154.817–19.389		–0.88 –0.88 –0.88	$+1.667 - 0.879x$
GRJ0319+41	031948.16+413042.0	151.005–12.768	iox		<i>variable</i>
GRJ0319+41 C_2	031816.76+415417.5	150.539–12.598	i	–0.89 –0.89 –0.89	$+3.542 - 0.889x$
GRJ0323+34	032244.57+341831.8	155.754–18.363	o	–1.22 –1.13 –1.03	$+2.472 - 0.612x - 0.082x^2$
GRJ0323+34 C_2	032441.33+341044.9	156.177–18.233	i x	–0.18 –0.31 –0.56	$-0.606 - 0.002x + 7.246e^{-x}$
GRJ0323+34 C_3	032152.82+340328.0	155.754–18.671	i	–0.79 –0.85 –0.92	$+2.105 - 1.220x + 0.059x^2$
GRJ0323+34 C_4	032352.14+342341.0	155.900–18.158	i	–1.91 –1.11 –0.62	$+0.755 + 0.003x - 0.048e^x$
GRJ0325+31	032510.20+312836.6	157.958–20.352		–1.08 –1.08 –1.08	$+2.874 - 1.081x$
GRJ0328+29	032836.10+292156.8	159.956–21.587	i	–1.07 –1.07 –1.07	$+2.957 - 1.067x$
GRJ0328+29 C_2	032806.93+292639.3	159.814–21.589	i	–1.02 –1.02 –1.02	$+2.585 - 1.025x$
GRJ0337+33	033737.83+330928.6	159.077–17.413	i	–0.27 –0.47 –0.83	$-1.345 + 0.001x + 10.834e^{-x}$
GRJ0337+33 C_2	033519.17+331633.5	158.603–17.621	i	–0.94 –0.94 –0.94	$+1.754 - 0.941x$
GRJ0339+29	033957.33+293341.9	161.884–19.885		–1.08 –1.08 –1.08	$+2.890 - 1.081x$
GRJ0339+39	033932.06+385738.1	155.663–12.622	i	–0.95 –0.95 –0.95	$+2.617 - 0.952x$
GRJ0339+39 C_2	033936.20+390205.6	155.627–12.555		–0.90 –0.90 –0.90	$+2.542 - 0.896x$
GRJ0339+39 C_3	034030.46+390851.2	155.697–12.358	i	–0.51 –0.72 –0.95	$+2.819 - 1.948x + 0.195x^2$
GRJ0342+31	034307.92+311521.1	161.288–18.146		–0.85 –0.85 –0.85	$+2.591 - 0.850x$

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ0344+36	034331.10+360500.8	158.145–14.377	io	–0.54 –0.79 –1.05	$+3.690 - 2.214x + 0.227x^2$
GRJ0344+36 C_2	034535.97+360634.0	158.463–14.090	i	–0.23 –0.39 –0.70	$-1.197 + 0.002x + 9.090e^{-x}$
GRJ0344+36 C_3	034328.94+362211.8	157.953–14.159	io	–0.15 –0.25 –0.45	$-0.574 - 0.003x + 5.834e^{-x}$
GRJ0344+38	034515.17+382732.5	156.877–12.318	io	–0.75 –0.75 –0.75	$+2.249 - 0.745x$
GRJ0349+34	034846.90+335315.5	160.458–15.370	io	–0.96 –0.84 –0.70	$+1.863 - 0.114x - 0.115x^2$
GRJ0349+34 C_2	034923.67+341256.1	160.337–15.038		–0.99 –0.99 –0.99	$+2.837 - 0.990x$
GRJ0350+30	034924.74+301529.6	163.049–18.022		–1.32 –1.20 –1.08	$+2.369 - 0.549x - 0.104x^2$
GRJ0354+36	035428.81+361310.9	159.793–12.844	i	–0.95 –0.95 –0.95	$+2.572 - 0.954x$
GRJ0354+36 C_2	035213.19+360301.9	159.554–13.271	i	–0.56 –0.88 –1.24	$+4.658 - 2.797x + 0.304x^2$
GRJ0359+32	035944.83+322047.5	163.297–14.993	i	0.07 –0.28 –0.66	$+3.867 - 2.322x + 0.325x^2$
GRJ0359+32 C_2	035933.97+320113.2	163.497–15.258	i	–0.76 –0.76 –0.76	$+1.678 - 0.760x$
GRJ0359+32 C_3	040056.85+321156.8	163.593–14.928		–0.46 –0.81 –1.20	$+4.678 - 2.897x + 0.331x^2$
GRJ0401+34	040051.75+344245.5	161.818–13.097	i	–0.83 –0.83 –0.83	$+2.608 - 0.829x$
GRJ0405+36	040517.12+361303.9	161.445–11.381	i	–1.08 –1.08 –1.08	$+2.939 - 1.084x$
GRJ0405+36 C_2	040436.63+362347.3	161.219–11.343	i	–0.25 –0.43 –0.78	$-1.202 - 0.000x + 10.107e^{-x}$
GRJ0405+36 C_3	040631.38+364554.2	161.248–10.812	i	–1.25 –1.25 –1.25	$+3.114 - 1.250x$
GRJ0405+38	040549.24+380332.6	160.244–09.964	io	–0.51 –0.51 –0.51	$+1.864 - 0.514x$
GRJ0405+38 C_2	040511.27+380553.2	160.125–10.020	i	–0.19 –0.70 –1.25	$+5.608 - 3.672x + 0.472x^2$
GRJ0405+38 C_3	040536.51+375439.0	160.316–10.100	i	–0.98 –0.98 –0.98	$+1.822 - 0.979x$
GRJ0405+38 C_4	040419.78+381146.2	159.931–10.063	o	–2.27 –1.32 –0.74	$+0.952 + 0.004x - 0.057e^x$
GRJ0406+30	040658.04+301110.9	165.999–15.491		–0.88 –0.88 –0.88	$+2.011 - 0.881x$
GRJ0406+30 C_2	040758.42+301102.4	166.162–15.340		–0.90 –0.90 –0.90	$+2.018 - 0.903x$
GRJ0406+30 C_3	040637.69+302230.1	165.808–15.408		–0.75 –0.99 –1.26	$+4.380 - 2.415x + 0.226x^2$
GRJ0406+30 C_4	040648.53+294437.4	166.296–15.831		–0.87 –0.99 –1.11	$+3.070 - 1.667x + 0.108x^2$
GRJ0406+30 C_5	040516.07+295500.5	165.922–15.941		–0.69 –0.73 –0.77	$+2.426 - 0.953x + 0.036x^2$
GRJ0408+40	040807.44+402244.4	158.969–07.965		–0.42 –0.78 –1.16	$+4.701 - 2.871x + 0.333x^2$
GRJ0411+31	041141.90+305916.9	166.162–14.205	i	–1.34 –1.25 –1.15	$+2.744 - 0.712x - 0.085x^2$
GRJ0412+35	041236.28+353543.1	162.974–10.803	io	–1.03 –1.03 –1.03	$+3.155 - 1.028x$
GRJ0412+35 C_2	041533.22+353940.6	163.359–10.334	i	–0.98 –0.98 –0.98	$+2.427 - 0.980x$
GRJ0418+33	041836.05+330709.9	165.654–11.668	i	–0.96 –0.96 –0.96	$+2.764 - 0.963x$
GRJ0418+37	041820.97+380148.5	162.057–08.266	io	–0.39 –0.53 –0.67	$+3.997 - 1.320x + 0.126x^2$
GRJ0420+34	042035.21+350126.1	164.552–10.048	i	–0.23 –0.70 –1.21	$+5.436 - 3.457x + 0.438x^2$
GRJ0420+34 C_2	041939.66+350237.2	164.403–10.170	i	–0.43 –0.83 –1.25	$+5.076 - 3.110x + 0.363x^2$
GRJ0424+39	042420.91+392114.2	161.926–06.504	i	–0.72 –0.91 –1.12	$+4.158 - 2.044x + 0.180x^2$
GRJ0436+38	043611.96+390251.9	163.720–05.027	i	–0.99 –0.99 –0.99	$+2.587 - 0.987x$
GRJ0436+38 C_2	043730.68+390240.6	163.892–04.839	i	–0.42 –0.62 –0.85	$+3.272 - 1.819x + 0.190x^2$
GRJ0437+29	043704.57+294014.1	170.962–11.077	iox	–0.88 –0.81 –0.72	$+3.513 - 0.361x - 0.071x^2$
GRJ0446+39	044617.83+394502.9	164.469–03.093	i	–1.15 –1.04 –0.91	$+2.497 - 0.350x - 0.109x^2$
GRJ0448+33	044708.93+332747.3	169.425–06.993	i x	–0.85 –0.85 –0.85	$+2.794 - 0.853x$
GRJ0448+33 C_2	044920.65+333651.4	169.599–06.543	i	–1.14 –1.14 –1.14	$+2.860 - 1.142x$
GRJ0453+31	045323.34+312924.1	171.805–07.211	i	–0.88 –0.88 –0.88	$+3.197 - 0.880x$
GRJ0503+34	050356.82+340328.1	171.130–03.884	i	–0.19 –0.32 –0.57	$-0.425 - 0.002x + 7.324e^{-x}$
GRJ0504+31	050511.00+311632.6	173.519–05.346	i	–1.04 –1.04 –1.04	$+3.014 - 1.044x$
GRJ0504+37	050441.29+380712.9	167.976–01.315	io	–0.96 –0.96 –0.96	$+3.917 - 0.963x$
GRJ0509+29	051039.36+290912.6	175.941–05.647	i	–0.85 –0.85 –0.85	$+2.938 - 0.847x$
GRJ0509+32	050716.41+325945.4	172.398–03.965	i	–0.59 –0.86 –1.15	$+4.265 - 2.432x + 0.250x^2$
GRJ0510+29	050929.51+295755.7	175.131–05.376	i	–1.02 –1.02 –1.02	$+3.195 - 1.016x$
GRJ0524+40	052339.24+405337.1	167.851+03.273	i	–0.51 –0.76 –1.04	$+4.063 - 2.260x + 0.238x^2$
GRJ0526+32	052642.55+324958.2	174.881–00.723	i	–0.91 –0.91 –0.91	$+3.195 - 0.911x$
GRJ0532+39	053153.79+390452.3	170.238+03.590	i	–0.63 –0.80 –0.99	$+3.481 - 1.816x + 0.161x^2$

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ0533+34	053340.27+343404.4	174.226+01.439	i	-0.47 -0.72 -0.99	+3.707 - 2.174x + 0.231x ²
GRJ0533+34 C_2	053231.22+344853.8	173.890+01.375	i	-0.35 -0.66 -1.01	+4.116 - 2.520x + 0.295x ²
GRJ0533+34 C_3	053417.95+345000.6	174.072+01.692	i	-0.90 -0.90 -0.90	+2.110 - 0.903x
GRJ0537+34	053745.13+341807.7	174.903+02.006	i	-0.64 -0.64 -0.64	+2.248 - 0.639x
GRJ0538+36	053752.39+361112.8	173.319+03.031	i	-0.87 -0.87 -0.87	+2.764 - 0.870x
GRJ0538+36 C_2	053845.65+355729.1	173.609+03.062	i	-1.09 -1.09 -1.09	+2.748 - 1.086x
GRJ0539+37	053935.56+374222.0	172.211+04.128	i	-0.30 -0.51 -0.92	-1.802 + 0.001x + 11.912e ^{-x}
GRJ0539+37 C_2	054029.98+375215.6	172.165+04.367	i	-0.59 -0.79 -1.01	+3.400 - 1.948x + 0.184x ²
GRJ0541+28	054211.81+290147.6	179.875+00.014	i	-0.31 -0.56 -0.83	+3.915 - 2.006x + 0.230x ²
GRJ0541+28 C_2	054114.23+284201.0	180.045-00.339	i	-0.20 -0.35 -0.62	-0.466 + 0.000x + 8.073e ^{-x}
GRJ0543+34	054350.53+344514.8	175.180+03.310	i	-0.83 -0.83 -0.83	+2.473 - 0.832x
GRJ0547+32	054823.91+322954.3	177.605+02.955	i	-0.96 -0.96 -0.96	+2.594 - 0.963x
GRJ0547+32 C_2	054706.32+324546.9	177.237+02.858	i	-0.72 -0.86 -1.01	+2.813 - 1.676x + 0.130x ²
GRJ0547+32 C_3	054817.75+324838.8	177.325+03.097	io	-1.06 -1.06 -1.06	+2.408 - 1.058x
GRJ0547+40	054632.95+402944.6	170.517+06.727	i	-0.23 -0.55 -0.90	+3.953 - 2.426x + 0.298x ²
GRJ0547+40 C_2	054844.61+402249.2	170.830+07.029	i	-1.17 -1.17 -1.17	+2.758 - 1.174x
GRJ0550+28	055107.63+285009.9	181.054+01.584	io	-0.22 -0.39 -0.69	-1.030 + 0.005x + 9.072e ^{-x}
GRJ0550+28 C_2	055157.91+292143.1	180.694+02.010	i	-0.59 -0.77 -0.96	+3.121 - 1.794x + 0.163x ²
GRJ0550+30	054910.50+302828.9	179.428+02.058	i x	-0.40 -0.70 -1.02	+4.285 - 2.436x + 0.276x ²
GRJ0550+30 C_2	055014.49+304546.4	179.298+02.403	i	-0.91 -0.91 -0.91	+2.352 - 0.908x
GRJ0551+37	055132.74+372529.5	173.677+06.014	i	-0.83 -0.83 -0.83	+2.683 - 0.831x
GRJ0553+31	055321.60+311750.9	179.177+03.250	i	-0.85 -0.85 -0.85	+2.709 - 0.846x
GRJ0555+40	055509.41+401427.2	171.564+08.021	i	-1.25 -1.25 -1.25	+2.898 - 1.254x
GRJ0555+40 C_2	055444.07+400633.0	171.640+07.886	i	-1.57 -1.57 -1.57	+3.268 - 1.571x
GRJ0555+40 C_3	055625.81+401050.0	171.737+08.204	i x	-0.77 -0.87 -0.98	+2.594 - 1.459x + 0.094x ²
GRJ0555+40 C_4	055530.81+394848.5	171.974+07.871	iox	+0.35 +0.67 +0.86	variable
GRJ0556+30	055623.37+300040.0	180.619+03.167	i	-1.04 -1.04 -1.04	+3.106 - 1.045x
GRJ0557+35	055751.90+352950.7	175.994+06.159	i	-1.06 -1.06 -1.06	+2.848 - 1.056x
GRJ0557+36	055537.82+362820.4	174.916+06.246	i	-0.52 -0.67 -0.84	+2.734 - 1.571x + 0.143x ²
GRJ0557+36 C_2	055647.73+364206.6	174.832+06.563	i	-0.30 -0.69 -1.12	+4.720 - 2.983x + 0.364x ²
GRJ0557+36 C_3	055728.14+364457.9	174.857+06.704	i	-1.13 -1.13 -1.13	+2.661 - 1.132x
GRJ0600+34	060049.89+340805.9	177.488+06.023		-1.06 -1.06 -1.06	+2.768 - 1.057x
GRJ0602+29	060123.60+290836.4	181.914+03.681	i	-1.18 -1.18 -1.18	+3.041 - 1.178x
GRJ0602+37	060233.74+372649.4	174.738+07.930	i	-1.10 -1.10 -1.10	+3.131 - 1.104x
GRJ0602+38	060316.00+383736.3	173.756+08.615	i	-0.98 -0.98 -0.98	+2.768 - 0.981x
GRJ0602+38 C_2	060102.90+383828.7	173.535+08.241	i	-0.46 -0.60 -0.76	+2.979 - 1.435x + 0.132x ²
GRJ0604+32	060403.51+325845.5	178.832+06.050	i	-0.93 -0.93 -0.93	+2.538 - 0.926x
GRJ0604+32 C_2	060457.34+323644.0	179.247+06.038	i	-0.68 -0.75 -0.84	+2.196 - 1.214x + 0.073x ²
GRJ0604+32 C_3	060602.45+300326.6	181.608+05.009	i	-0.60 -0.77 -0.94	+3.481 - 1.710x + 0.150x ²
GRJ0605+29	060238.26+291058.8	182.013+03.937	i	-0.86 -0.86 -0.86	+2.305 - 0.860x
GRJ0606+41	060533.73+413214.8	171.359+10.367	i	-1.05 -1.05 -1.05	+2.965 - 1.053x
GRJ0606+41 C_2	060656.41+414049.5	171.350+10.662	i	-1.08 -1.08 -1.08	+3.036 - 1.077x
GRJ0611+36	061057.16+363431.5	176.312+08.998	i	-1.33 -1.19 -1.04	+2.023 - 0.360x - 0.132x ²
GRJ0618+37	061753.03+373330.9	176.061+10.677	i	-1.23 -1.16 -1.09	+2.577 - 0.786x - 0.060x ²
GRJ0618+37 C_2	061716.62+373629.0	175.961+10.591	i	-0.90 -1.02 -1.15	+3.649 - 1.705x + 0.109x ²
GRJ0619+34	061902.15+340400.5	179.335+09.317	i	-0.95 -0.95 -0.95	+2.785 - 0.955x
GRJ0620+29	062038.83+291308.8	183.855+07.414	i	-1.05 -1.05 -1.05	+2.915 - 1.053x
GRJ0620+29 C_2	062054.49+290847.8	183.946+07.431	i	-0.95 -0.95 -0.95	+2.882 - 0.953x
GRJ0620+36	062053.79+360942.2	177.606+10.595	i	-0.20 -0.60 -1.05	+4.613 - 2.989x + 0.379x ²
GRJ0620+36 C_2	062000.92+354833.2	177.847+10.279	i	-0.12 -0.58 -1.08	+4.868 - 3.267x + 0.427x ²

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ0622+31	062339.94+313652.3	181.997+09.081	i	-0.27 -0.43 -0.60	$+2.970 - 1.371x + 0.150x^2$
GRJ0622+31 C_2	062113.86+312717.2	181.904+08.546	i	-1.05 -1.05 -1.05	$+2.539 - 1.055x$
GRJ0623+38	062309.56+382323.0	175.764+11.976	i	-1.03 -1.03 -1.03	$+2.916 - 1.026x$
GRJ0625+40	062503.63+400350.4	174.375+13.024	io	-0.84 -0.84 -0.84	$+2.925 - 0.838x$
GRJ0631+36	063117.97+360816.3	178.555+12.479		-1.07 -1.07 -1.07	$+2.737 - 1.068x$
GRJ0635+32	063542.39+330130.6	181.834+11.985	io	-1.13 -1.13 -1.13	$+3.033 - 1.128x$
GRJ0637+35	063712.43+353810.4	179.535+13.357	i	-1.12 -1.12 -1.12	$+2.687 - 1.122x$
GRJ0637+35 C_2	063815.39+354406.1	179.532+13.592	i	-0.66 -0.83 -1.01	$+3.236 - 1.829x + 0.159x^2$
GRJ0638+34	063917.54+342038.5	180.926+13.214	i	-0.95 -0.95 -0.95	$+2.598 - 0.949x$
GRJ0639+29	064006.02+293821.0	185.372+11.398	i	-0.63 -0.80 -0.99	$+3.769 - 1.792x + 0.157x^2$
GRJ0640+33	064008.82+333159.5	181.759+13.041	i	-0.53 -0.69 -0.85	$+3.387 - 1.587x + 0.143x^2$
GRJ0641+31	064150.42+313215.6	183.773+12.537	i	-0.47 -0.77 -1.10	$+4.226 - 2.546x + 0.282x^2$
GRJ0641+31 C_2	064134.01+311752.0	183.971+12.384	i	-0.76 -0.84 -0.94	$+2.494 - 1.345x + 0.080x^2$
GRJ0641+31 C_3	064115.84+315345.3	183.387+12.575	i	-0.92 -0.92 -0.92	$+2.543 - 0.924x$
GRJ0642+38	064138.49+383732.3	177.075+15.367	i	-1.12 -1.12 -1.12	$+2.937 - 1.118x$
GRJ0642+38 C_2	064159.53+383257.1	177.176+15.400	i	-1.15 -1.15 -1.15	$+2.938 - 1.146x$
GRJ0642+38 C_3	064106.91+385719.0	176.719+15.402	i	-0.46 -0.68 -0.93	$+3.772 - 2.018x + 0.212x^2$
GRJ0644+40	064445.43+402103.1	175.659+16.585	i	-0.72 -0.83 -0.96	$+3.080 - 1.488x + 0.104x^2$
GRJ0647+32	064754.06+323618.6	183.312+14.146	io	-1.03 -1.03 -1.03	$+2.684 - 1.030x$
GRJ0650+34	064956.95+343103.2	181.672+15.296	i	-1.07 -1.07 -1.07	$+2.621 - 1.073x$
GRJ0650+34 C_2	064859.13+345221.2	181.253+15.253	io	-1.10 -1.03 -0.95	$+2.109 - 0.604x - 0.067x^2$
GRJ0650+34 C_3	065114.09+343330.6	181.740+15.556	i	-0.45 -0.71 -0.99	$+3.777 - 2.224x + 0.240x^2$
GRJ0650+41	065041.30+410639.5	175.353+17.910	i	-1.21 -1.21 -1.21	$+2.600 - 1.207x$
GRJ0650+41 C_2	065052.04+413027.5	174.976+18.083	io	-1.88 -1.58 -1.25	$+1.571 + 0.181x - 0.280x^2$
GRJ0654+34	065515.32+340822.8	182.474+16.160		-1.11 -1.11 -1.11	$+2.747 - 1.105x$
GRJ0658+30	065717.43+301539.9	186.358+15.049	i	-0.65 -0.75 -0.86	$+2.943 - 1.333x + 0.093x^2$
GRJ0658+30 C_2	065751.90+294858.5	186.832+14.988	i	-0.66 -0.83 -1.01	$+3.164 - 1.798x + 0.154x^2$
GRJ0658+30 C_3	065703.63+294210.4	186.868+14.782	i	-1.04 -1.04 -1.04	$+2.524 - 1.037x$
GRJ0659+35	065917.74+355259.9	181.109+17.580	io	-1.56 -1.34 -1.10	$+1.904 - 0.059x - 0.203x^2$
GRJ0659+35 C_2	065934.87+354555.3	181.246+17.591		-1.08 -1.08 -1.08	$+2.775 - 1.078x$
GRJ0701+29	070130.08+293138.6	187.430+15.600	i	-1.13 -1.13 -1.13	$+2.364 - 1.132x$
GRJ0701+29 C_2	070010.55+292821.8	187.364+15.313	i	-0.96 -0.96 -0.96	$+1.997 - 0.963x$
GRJ0701+29 C_3	070217.73+292318.7	187.633+15.705	i	-0.55 -0.75 -0.97	$+3.130 - 1.922x + 0.186x^2$
GRJ0701+32	070134.48+322418.7	184.670+16.722	i	-0.95 -0.95 -0.95	$+2.433 - 0.954x$
GRJ0701+32 C_2	070032.19+322313.8	184.601+16.512	i	-0.67 -0.79 -0.91	$+2.794 - 1.446x + 0.105x^2$
GRJ0701+32 C_3	070207.46+325732.2	184.180+17.038	i	-0.71 -0.79 -0.87	$+2.522 - 1.214x + 0.068x^2$
GRJ0701+35	070145.82+351818.6	181.866+17.836	io	-1.13 -1.03 -0.93	$+2.316 - 0.464x - 0.090x^2$
GRJ0702+38	070149.31+383231.4	178.683+19.000	i	-0.83 -0.73 -0.61	$+1.052 - 0.096x - 0.100x^2$
GRJ0702+38 C_2	070431.32+391123.5	178.229+19.716	io	-0.87 -0.78 -0.69	$+1.316 - 0.283x - 0.079x^2$
GRJ0703+37	070404.16+372659.1	179.929+19.035	io	-1.58 -1.34 -1.07	$+1.705 + 0.073x - 0.224x^2$
GRJ0703+37 C_2	070220.53+375722.5	179.301+18.892	io	-1.13 -0.98 -0.82	$+1.987 - 0.116x - 0.138x^2$
GRJ0706+38	070732.69+382212.5	179.261+19.994	iox	-0.95 -0.95 -0.95	$+2.970 - 0.955x$
GRJ0712+40	071229.99+405127.1	177.073+21.702	io	-1.05 -1.05 -1.05	$+2.779 - 1.050x$
GRJ0712+40 C_2	071300.75+402804.7	177.504+21.674	o	-0.77 -0.94 -1.12	$+3.661 - 1.913x + 0.155x^2$
GRJ0712+40 C_3	071424.50+401607.9	177.797+21.864	io	-1.03 -1.03 -1.03	$+2.512 - 1.032x$
GRJ0715+36	071449.06+363454.0	181.573+20.757	io	-0.26 -0.44 -0.79	$-1.345 - 0.001x + 10.245e^{-x}$
GRJ0715+36 C_2	071637.13+364218.0	181.576+21.139	io	-0.23 -0.59 -0.97	$+4.503 - 2.669x + 0.331x^2$
GRJ0715+36 C_3	071355.24+364957.0	181.256+20.671		-0.68 -0.81 -0.95	$+2.945 - 1.584x + 0.123x^2$
GRJ0717+37	071735.71+374539.1	180.570+21.664	i x	-1.24 -1.24 -1.24	$+3.121 - 1.237x$
GRJ0717+37 C_2	071730.65+370640.5	181.226+21.439	iox	-0.53 -0.72 -0.93	$+3.278 - 1.836x + 0.177x^2$

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ0718+34	072129.34+355133.1	182.778+21.792	o	-1.05 -1.05 -1.05	+2.960 - 1.050x
GRJ0719+29	071739.61+294908.5	188.534+18.960	i	-0.48 -0.67 -0.87	+2.883 - 1.751x + 0.172x ²
GRJ0719+29 C ₂	071933.61+293955.7	188.844+19.289	i	-0.72 -0.82 -0.93	+2.705 - 1.394x + 0.091x ²
GRJ0719+29 C ₃	071940.38+300629.9	188.416+19.471	i	-1.03 -1.03 -1.03	+2.428 - 1.030x
GRJ0721+35	071758.67+343355.3	183.834+20.688	i	-0.27 -0.46 -0.83	-1.643 + 0.004x + 10.802e ^{-x}
GRJ0721+35 C ₂	071806.36+343943.4	183.747+20.746	io	-0.76 -0.95 -1.14	+3.393 - 2.015x + 0.170x ²
GRJ0724+31	072429.90+313138.3	187.388+20.940	i	-0.88 -0.88 -0.88	+2.741 - 0.883x
GRJ0726+31	072649.83+310203.1	188.067+21.239	iox	-0.46 -0.77 -1.11	+4.309 - 2.603x + 0.291x ²
GRJ0726+31 C ₂	072724.74+310937.1	187.986+21.399	i	-0.48 -0.68 -0.90	+3.531 - 1.851x + 0.186x ²
GRJ0734+31	073411.79+313842.8	188.014+22.925	iox	-1.15 -1.15 -1.15	+3.058 - 1.153x
GRJ0736+29	073609.04+285956.5	190.870+22.441	io	-0.93 -0.93 -0.93	+2.785 - 0.931x
GRJ0736+35	073626.10+355302.9	183.766+24.681	io	-0.87 -0.96 -1.05	+3.041 - 1.461x + 0.080x ²
GRJ0736+35 C ₂	073704.16+360320.2	183.626+24.854	i	-0.84 -0.84 -0.84	+2.628 - 0.843x
GRJ0741+33	074143.54+333542.6	186.530+25.041		+1.11 +0.35 -0.48	+5.768 - 4.119x + 0.710x ²
GRJ0741+33 C ₂	074126.39+333222.6	186.569+24.968		-0.23 -0.40 -0.71	-0.967 + 0.000x + 9.237e ^{-x}
GRJ0741+33 C ₃	074258.51+333954.4	186.542+25.311	io	-0.15 -0.50 -0.87	+4.322 - 2.503x + 0.319x ²
GRJ0744+37	074417.50+375316.8	182.111+26.745	ox	-1.40 -1.22 -1.02	+2.320 - 0.163x - 0.168x ²
GRJ0744+37 C ₂	074538.84+373152.8	182.576+26.911	io	-1.04 -0.99 -0.93	+2.459 - 0.687x - 0.048x ²
GRJ0744+39	074358.78+391502.0	180.617+27.035	o	-1.00 -1.00 -1.00	+2.872 - 0.998x
GRJ0744+39 C ₂	074602.64+391652.8	180.695+27.429	o	-0.29 -0.62 -0.97	+4.104 - 2.505x + 0.300x ²
GRJ0745+31	074542.13+314252.5	188.790+25.270	iox	-0.27 -0.52 -0.78	+3.908 - 1.952x + 0.228x ²
GRJ0745+32	074504.97+331253.6	187.162+25.597	iox	-0.44 -0.76 -1.12	+4.573 - 2.664x + 0.302x ²
GRJ0751+34	075133.51+340959.0	186.576+27.160	io	-0.92 -0.92 -0.92	+2.589 - 0.921x
GRJ0751+39	075025.87+394134.5	180.471+28.349	io	-0.96 -0.96 -0.96	+2.493 - 0.965x
GRJ0751+39 C ₂	075120.28+394354.0	180.474+28.528	io	-1.03 -1.03 -1.03	+2.559 - 1.027x
GRJ0751+39 C ₃	074841.94+394106.3	180.391+28.024	o	-1.03 -1.03 -1.03	+2.298 - 1.026x
GRJ0753+29	075248.76+294629.9	191.360+26.125	io	-0.57 -0.75 -0.95	+3.686 - 1.802x + 0.167x ²
GRJ0753+29 C ₂	075458.36+294154.1	191.603+26.548	io	-0.93 -0.93 -0.93	+2.536 - 0.934x
GRJ0753+35	075321.92+350733.3	185.648+27.778	o	-0.17 -0.57 -0.99	+4.314 - 2.850x + 0.363x ²
GRJ0753+35 C ₂	075437.27+352007.5	185.496+28.081	o	-0.21 -0.54 -0.90	+3.939 - 2.486x + 0.309x ²
GRJ0753+35 C ₃	075143.84+352830.5	185.168+27.549	o	-0.77 -0.90 -1.04	+3.137 - 1.660x + 0.121x ²
GRJ0759+37	075947.27+373850.1	183.228+29.655	o	-0.86 -0.86 -0.86	+2.896 - 0.857x
GRJ0759+37 C ₂	075828.60+374713.7	183.003+29.435	iox	-0.51 -0.60 -0.70	+3.078 - 1.133x + 0.085x ²
GRJ0759+39	075629.08+390149.4	181.512+29.338	io	-0.69 -0.85 -1.03	+3.343 - 1.816x + 0.153x ²
GRJ0759+39 C ₂	075808.85+392928.6	181.076+29.753	io	-1.08 -1.01 -0.92	+2.120 - 0.566x - 0.070x ²
GRJ0759+39 C ₃	080053.56+392440.7	181.297+30.254	io	-0.46 -0.69 -0.94	+3.333 - 2.039x + 0.214x ²
GRJ0801+36	080301.02+364721.5	184.362+30.083	io	-1.12 -1.12 -1.12	+2.785 - 1.120x
GRJ0803+30	080333.27+305641.6	190.877+28.685		-1.03 -1.03 -1.03	+2.689 - 1.033x
GRJ0806+37	080639.53+374700.8	183.423+31.010		-1.17 -1.17 -1.17	+3.044 - 1.170x
GRJ0812+35	081247.31+355116.9	185.940+31.790	o	-0.91 -0.91 -0.91	+2.770 - 0.909x
GRJ0813+32	081259.48+324305.5	189.525+31.091	io	-0.82 -0.82 -0.82	+2.665 - 0.824x
GRJ0813+36	081326.27+365537.0	184.739+32.147	o	-0.99 -0.99 -0.99	+2.840 - 0.991x
GRJ0815+38	081512.58+384047.5	182.782+32.834	io	-0.91 -0.91 -0.91	+2.518 - 0.907x
GRJ0817+37	081651.85+375905.6	183.668+33.023	i	-1.09 -1.09 -1.09	+2.598 - 1.093x
GRJ0817+37 C ₂	081644.76+374915.9	183.854+32.969	o	-0.86 -0.86 -0.86	+2.195 - 0.857x
GRJ0817+37 C ₃	081601.84+380415.0	183.530+32.878	io	-0.74 -0.74 -0.74	+1.932 - 0.744x
GRJ0820+30	082032.69+303449.3	192.434+32.099	io	-1.03 -1.03 -1.03	+2.802 - 1.027x
GRJ0825+34	082547.29+342425.6	188.305+34.075	o	-1.21 -1.21 -1.21	+3.142 - 1.213x
GRJ0825+34 C ₂	082514.50+340717.9	188.613+33.904	o	-0.92 -0.92 -0.92	+2.651 - 0.919x
GRJ0827+29	082725.40+291844.6	194.350+33.205	io	-0.86 -0.86 -0.86	+3.023 - 0.864x

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ0827+35	082738.59+352504.7	187.199+34.652	io	-0.32 -0.42 -0.53	$+2.234 - 1.004x + 0.093x^2$
GRJ0827+35 C_2	082822.04+355305.7	186.676+34.886	io	-0.78 -0.90 -1.03	$+3.266 - 1.610x + 0.113x^2$
GRJ0827+37	082705.58+374840.2	184.308+34.978	io	-1.12 -1.12 -1.12	$+2.943 - 1.120x$
GRJ0831+32	083135.60+322027.9	191.069+34.810		-1.07 -1.07 -1.07	$+3.150 - 1.074x$
GRJ0831+32 C_2	083127.39+321930.0	191.081+34.779	io	-0.43 -0.58 -0.75	$+3.393 - 1.478x + 0.142x^2$
GRJ0831+32 C_3	083120.33+321836.8	191.091+34.751	i	-0.18 -0.31 -0.55	$-0.239 + 0.002x + 7.158e^{-x}$
GRJ0831+37	083110.00+374209.8	184.602+35.754	o	-0.67 -0.67 -0.67	$+2.422 - 0.667x$
GRJ0832+33	083236.85+333205.4	189.702+35.277	o	-0.54 -0.77 -1.03	$+4.020 - 2.151x + 0.219x^2$
GRJ0840+40	084011.55+400347.7	181.976+37.812	o	-0.92 -0.92 -0.92	$+2.669 - 0.923x$
GRJ0843+29	084309.09+294334.0	194.903+36.621	iox	-0.68 -0.82 -0.97	$+3.769 - 1.644x + 0.131x^2$
GRJ0848+31	084759.46+314722.4	192.657+38.088	iox	-0.81 -0.81 -0.81	$+2.662 - 0.805x$
GRJ0850+35	085027.68+354707.9	187.728+39.285	o	-0.81 -0.81 -0.81	$+1.991 - 0.805x$
GRJ0850+35 C_2	085012.00+360418.0	187.352+39.273	i x	-0.34 -0.78 -1.25	$+4.967 - 3.350x + 0.409x^2$
GRJ0850+35 C_3	085034.22+361157.6	187.202+39.365		-0.77 -0.85 -0.95	$+2.580 - 1.357x + 0.080x^2$
GRJ0850+37	085024.86+374705.3	185.161+39.534	iox	-0.32 -0.55 -0.79	$+3.566 - 1.861x + 0.209x^2$
GRJ0857+33	085740.64+340406.2	190.227+40.493	ox	-0.86 -0.86 -0.86	$+2.889 - 0.855x$
GRJ0900+38	090114.92+384208.0	184.225+41.739	i	-0.71 -0.91 -1.13	$+3.758 - 2.070x + 0.184x^2$
GRJ0901+29	090108.67+294319.9	196.021+40.428	i	-0.63 -0.80 -0.99	$+3.736 - 1.829x + 0.163x^2$
GRJ0901+29 C_2	090046.15+294209.7	196.023+40.345	o	-0.51 -0.60 -0.69	$+2.304 - 1.093x + 0.079x^2$
GRJ0902+33	090235.88+331025.4	191.607+41.367	o	-0.99 -0.99 -0.99	$+2.661 - 0.990x$
GRJ0902+33 C_2	090052.18+324937.4	191.984+40.953	o	-1.01 -1.01 -1.01	$+2.336 - 1.013x$
GRJ0906+41	090602.53+411629.8	180.813+42.782	io	-0.74 -0.83 -0.92	$+3.274 - 1.336x + 0.081x^2$
GRJ0909+32	090912.91+323311.7	192.723+42.643	o	-1.17 -1.04 -0.91	$+1.681 - 0.340x - 0.112x^2$
GRJ0909+32 C_2	091110.29+324531.0	192.530+43.081		-0.96 -0.96 -0.96	$+1.866 - 0.958x$
GRJ0911+37	091202.78+375135.2	185.568+43.795	o	-1.13 -1.13 -1.13	$+3.582 - 1.126x$
GRJ0913+39	091352.30+390210.2	183.959+44.211	o	-0.98 -0.98 -0.98	$+2.225 - 0.977x$
GRJ0913+39 C_2	091438.52+392239.9	183.489+44.371	io	-0.87 -0.96 -1.06	$+2.936 - 1.499x + 0.086x^2$
GRJ0914+34	091450.56+345305.0	189.752+44.107	o	-0.52 -0.82 -1.14	$+4.221 - 2.546x + 0.275x^2$
GRJ0920+31	092016.93+310604.3	195.215+44.738	i	-1.07 -1.07 -1.07	$+2.774 - 1.069x$
GRJ0920+31 C_2	092210.33+311108.1	195.186+45.150	o	-1.39 -1.25 -1.10	$+2.451 - 0.428x - 0.131x^2$
GRJ0925+32	092613.06+324715.4	193.082+46.219	i	-1.17 -1.17 -1.17	$+3.037 - 1.174x$
GRJ0925+32 C_2	092428.08+330132.1	192.679+45.883	o	-0.82 -0.87 -0.92	$+2.460 - 1.144x + 0.044x^2$
GRJ0927+29	092806.61+300105.5	197.128+46.225		-0.80 -1.00 -1.22	$+4.131 - 2.181x + 0.188x^2$
GRJ0927+38	092703.04+390220.6	184.028+46.769	iox	+0.34 +0.65 +0.99	$-4.286 + 2.479x - 0.290x^2$
GRJ0930+31	093033.79+311148.9	195.551+46.927	i	-0.94 -0.94 -0.94	$+2.526 - 0.936x$
GRJ0930+31 C_2	092954.35+312129.5	195.288+46.810		-1.13 -1.13 -1.13	$+2.675 - 1.129x$
GRJ0931+34	093108.82+344332.4	190.407+47.426	o	-0.51 -0.76 -1.02	$+3.525 - 2.188x + 0.227x^2$
GRJ0931+34 C_2	093055.26+350337.2	189.909+47.403	iox	-0.07 -0.31 -0.57	$+2.913 - 1.722x + 0.224x^2$
GRJ0931+34 C_3	093147.54+343914.5	190.527+47.553	i	-1.16 -1.16 -1.16	$+2.050 - 1.165x$
GRJ0931+34 C_4	093049.12+350910.4	189.771+47.388		-0.99 -0.99 -0.99	$+1.932 - 0.985x$
GRJ0932+32	093234.56+323147.7	193.683+47.519	o	-0.81 -0.81 -0.81	$+2.351 - 0.807x$
GRJ0935+39	093506.62+394207.4	183.011+48.317	o	-0.88 -0.88 -0.88	$+2.794 - 0.877x$
GRJ0939+35	093952.54+355413.6	188.776+49.265	i x	-0.75 -0.75 -0.75	$+2.887 - 0.755x$
GRJ0939+40	093920.40+401650.3	182.080+49.100		-1.10 -1.10 -1.10	$+3.134 - 1.099x$
GRJ0940+38	094104.19+385349.7	184.176+49.496	iox	-0.94 -0.94 -0.94	$+2.756 - 0.936x$
GRJ0941+32	094105.98+322145.6	194.218+49.289	ox	-0.98 -0.98 -0.98	$+2.580 - 0.978x$
GRJ0941+32 C_2	094146.39+322708.7	194.102+49.440		-1.06 -1.06 -1.06	$+2.396 - 1.058x$
GRJ0941+32 C_3	094208.12+320641.9	194.636+49.482	o	-0.83 -0.83 -0.83	$+1.768 - 0.829x$
GRJ0941+32 C_4	094146.53+315457.8	194.923+49.386		-0.93 -0.93 -0.93	$+2.314 - 0.926x$
GRJ0941+39	094123.62+394414.0	182.880+49.522	iox	-0.75 -0.75 -0.75	$+2.630 - 0.752x$

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ0942+37	094254.69+373737.2	186.126+49.888	io	-0.50 -0.56 -0.62	+1.419 - 0.903x + 0.055x ²
GRJ0942+37 C ₂	094203.57+373819.2	186.111+49.719	io	-1.07 -1.07 -1.07	+2.210 - 1.069x
GRJ0942+37 C ₃	094152.46+374722.6	185.878+49.680	io	-0.93 -0.93 -0.93	+2.041 - 0.927x
GRJ0942+37 C ₄	094222.13+372340.2	186.488+49.782	io	-0.84 -0.84 -0.84	+1.851 - 0.839x
GRJ0943+29	094321.72+294425.4	198.307+49.447	io	-0.66 -0.80 -0.95	+3.245 - 1.624x + 0.131x ²
GRJ0947+32	094701.42+324440.6	193.800+50.567	io	-1.06 -1.06 -1.06	+2.527 - 1.059x
GRJ0947+32 C ₂	094649.14+323853.5	193.946+50.516	i	-0.91 -0.91 -0.91	+2.212 - 0.906x
GRJ0947+32 C ₃	094820.44+323952.8	193.961+50.837	o	-1.04 -1.04 -1.04	+2.514 - 1.042x
GRJ0947+32 C ₄	094708.79+325437.1	193.543+50.605	o	-0.89 -0.89 -0.89	+2.151 - 0.890x
GRJ0949+40	094855.36+403944.7	181.273+50.888	iox	-0.03 -0.14 -0.27	+1.729 - 0.823x + 0.108x ²
GRJ0949+40 C ₂	094927.95+403843.7	181.284+50.992		-0.68 -0.83 -0.99	+2.553 - 1.701x + 0.138x ²
GRJ0955+33	095543.32+340207.8	191.893+52.452		-0.72 -0.99 -1.28	+4.344 - 2.547x + 0.248x ²
GRJ0955+35	095547.71+353322.9	189.397+52.490	o	-1.04 -1.04 -1.04	+2.896 - 1.040x
GRJ0958+31	095752.31+315048.1	195.534+52.782		-0.93 -0.93 -0.93	+2.628 - 0.926x
GRJ0958+38	095802.88+382959.6	184.518+52.825	o	-1.03 -1.03 -1.03	+2.802 - 1.034x
GRJ1001+28	100146.73+284656.4	200.754+53.284	i x	-0.95 -0.92 -0.88	+3.296 - 0.717x - 0.032x ²
GRJ1004+31	100432.94+315151.4	195.674+54.197	o	-0.98 -0.98 -0.98	+3.086 - 0.984x
GRJ1006+34	100601.74+345410.3	190.470+54.585	iox	-0.62 -0.62 -0.62	+2.460 - 0.624x
GRJ1010+37	101009.11+372403.3	186.054+55.293	io	-0.84 -0.91 -0.98	+2.901 - 1.316x + 0.065x ²
GRJ1010+37 C ₂	101128.08+371140.3	186.377+55.571	o	-1.01 -1.01 -1.01	+2.283 - 1.011x
GRJ1015+40	101558.66+404654.5	179.845+55.944	io	-0.83 -0.83 -0.83	+2.585 - 0.828x
GRJ1015+40 C ₂	101601.90+404657.3	179.840+55.953	o	-0.99 -0.99 -0.99	+2.849 - 0.989x
GRJ1017+39	101714.15+390123.9	182.887+56.482	io	-0.78 -0.78 -0.78	+2.569 - 0.780x
GRJ1017+39 C ₂	101721.46+393053.8	182.002+56.428		-0.34 -0.54 -0.76	+3.548 - 1.711x + 0.186x ²
GRJ1020+31	102039.08+313805.8	196.395+57.604	o	-1.04 -1.04 -1.04	+3.152 - 1.039x
GRJ1021+37	102115.76+371454.6	185.920+57.505	o	-1.15 -1.15 -1.15	+2.981 - 1.154x
GRJ1021+37 C ₁	102207.18+365838.4	186.386+57.706	o	-1.21 -1.21 -1.21	+3.037 - 1.210x
GRJ1021+37 C ₂	102039.96+365702.2	186.496+57.421	io	-1.24 -1.16 -1.07	+2.408 - 0.684x - 0.076x ²
GRJ1029+38	102844.30+384435.7	182.701+58.736	iox	-0.57 -0.64 -0.71	+2.429 - 1.021x + 0.061x ²
GRJ1029+38 C ₂	103016.54+385753.9	182.170+58.987	io	-0.73 -0.73 -0.73	+1.806 - 0.725x
GRJ1030+29	103122.94+294656.0	200.198+59.808	io	-0.47 -0.71 -0.96	+3.919 - 2.079x + 0.218x ²
GRJ1030+29 C ₂	102933.53+295504.0	199.876+59.423		-0.21 -0.65 -1.12	+5.095 - 3.170x + 0.401x ²
GRJ1031+34	103142.57+350211.6	189.734+59.832	i	-1.32 -1.32 -1.32	+3.200 - 1.323x
GRJ1033+33	103435.32+334918.0	192.082+60.514	o	-0.96 -0.96 -0.96	+2.589 - 0.965x
GRJ1034+30	103311.19+305451.3	197.975+60.255		-0.61 -0.79 -0.99	+3.417 - 1.844x + 0.167x ²
GRJ1034+30 C ₂	103432.70+310350.6	197.689+60.551		-0.92 -0.92 -0.92	+2.386 - 0.920x
GRJ1036+40	103712.87+401137.4	179.213+60.010	o	-0.86 -0.86 -0.86	+2.523 - 0.856x
GRJ1036+40 C ₂	103625.59+403533.4	178.524+59.760	i	-1.07 -1.07 -1.07	+2.812 - 1.071x
GRJ1038+31	103850.97+320605.8	195.557+61.472	o	-0.88 -0.88 -0.88	+2.540 - 0.877x
GRJ1038+31 C ₂	103926.30+314502.3	196.291+61.602		-0.51 -0.81 -1.15	+4.366 - 2.606x + 0.285x ²
GRJ1038+31 C ₃	104001.02+314636.0	196.234+61.724	i	-0.98 -0.98 -0.98	+2.457 - 0.975x
GRJ1038+35	103851.47+360115.4	187.411+61.164	i	-1.03 -1.03 -1.03	+2.720 - 1.027x
GRJ1040+29	104029.95+295758.3	200.064+61.792	io	-0.89 -0.89 -0.89	+2.323 - 0.889x
GRJ1041+33	104051.97+330628.8	193.406+61.861	i	-0.77 -0.95 -1.14	+3.968 - 1.973x + 0.163x ²
GRJ1041+33 C ₂	104148.22+330853.5	193.297+62.055	o	-1.15 -1.15 -1.15	+3.038 - 1.154x
GRJ1042+34	104228.95+340536.5	191.261+62.125	io	-0.88 -0.88 -0.88	+2.057 - 0.875x
GRJ1042+34 C ₂	104503.51+340047.2	191.326+62.664	o	-0.84 -0.84 -0.84	+1.808 - 0.842x
GRJ1043+31	104318.41+313102.6	196.775+62.427	iox	-0.29 -0.49 -0.70	+3.105 - 1.619x + 0.180x ²
GRJ1044+39	104426.19+390049.3	180.820+61.657	i	-1.01 -1.01 -1.01	+2.518 - 1.008x
GRJ1044+39 C ₂	104307.79+391436.7	180.490+61.353		-0.90 -0.90 -0.90	+2.233 - 0.902x

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ1047+29	104725.62+292824.6	201.297+63.269	io	-0.92 -0.92 -0.92	+2.593 - 0.920x
GRJ1050+30	105025.28+300116.9	200.125+63.940		-0.57 -0.86 -1.16	+4.214 - 2.491x + 0.260x ²
GRJ1052+34	105158.53+341320.6	190.506+64.064	o	-0.92 -0.92 -0.92	+2.745 - 0.924x
GRJ1055+37	105551.64+372231.9	183.059+64.243		-1.66 -1.66 -1.66	+3.317 - 1.659x
GRJ1055+37 C ₂	105614.02+371845.4	183.156+64.330	o	-0.47 -0.80 -1.16	+4.402 - 2.736x + 0.308x ²
GRJ1055+37 C ₃	105521.87+372636.8	182.964+64.130	ox	-0.45 -0.79 -1.16	+4.441 - 2.797x + 0.319x ²
GRJ1055+37 C ₄	105426.55+372715.6	183.045+63.950		-1.38 -1.38 -1.38	+2.971 - 1.375x
GRJ1058+40	105837.45+401355.7	176.459+63.887	o	-0.93 -0.93 -0.93	+2.437 - 0.930x
GRJ1058+40 C ₂	105800.39+401019.6	176.681+63.798	o	-0.91 -0.91 -0.91	+2.336 - 0.914x
GRJ1058+40 C ₃	105853.14+401757.2	176.276+63.910		-0.76 -0.76 -0.76	+1.224 - 0.761x
GRJ1100+30	110007.20+302634.2	199.178+66.040	o	-1.01 -1.01 -1.01	+3.092 - 1.010x
GRJ1102+34	110208.70+345510.2	188.095+66.022	o	-0.85 -0.85 -0.85	+2.568 - 0.853x
GRJ1102+34 C ₂	110326.21+344947.0	188.189+66.299	o	-0.99 -0.99 -0.99	+2.608 - 0.994x
GRJ1108+31	110840.93+311240.1	197.055+67.850		-1.12 -1.12 -1.12	+2.901 - 1.120x
GRJ1108+31 C ₂	110635.04+310527.0	197.436+67.409		-1.34 -1.12 -0.90	+0.895 + 0.102x - 0.195x ²
GRJ1108+38	110836.10+385858.0	177.574+66.130	io	-0.85 -0.85 -0.85	+2.574 - 0.846x
GRJ1110+37	110952.06+373843.8	180.503+66.826	ox	-0.82 -0.82 -0.82	+2.841 - 0.825x
GRJ1111+35	111131.56+354045.4	185.121+67.718	ox	-1.29 -1.18 -1.07	+2.869 - 0.570x - 0.097x ²
GRJ1113+40	111438.44+403720.7	172.664+66.517	iox	-1.16 -1.06 -0.94	+2.832 - 0.447x - 0.097x ²
GRJ1114+33	111441.83+330159.0	191.755+68.915	io	-0.93 -0.93 -0.93	+2.617 - 0.931x
GRJ1116+29	111634.71+291520.4	202.317+69.610	iox	-0.70 -0.70 -0.70	+2.474 - 0.701x
GRJ1116+34	111630.43+344225.0	186.983+68.946	o	-1.06 -1.06 -1.06	+2.781 - 1.060x
GRJ1118+31	111834.06+311521.5	196.478+69.954	io	-0.97 -0.97 -0.97	+2.511 - 0.972x
GRJ1125+30	112608.53+300336.4	199.737+71.668	io	-0.98 -0.98 -0.98	+2.961 - 0.975x
GRJ1128+32	112802.45+323047.5	191.812+71.767		-0.74 -0.74 -0.74	+2.057 - 0.737x
GRJ1128+32 C ₂	112810.78+321554.7	192.575+71.842		-0.82 -0.82 -0.82	+2.392 - 0.819x
GRJ1128+37	112830.93+372855.2	177.136+70.315		-0.94 -0.94 -0.94	+2.468 - 0.945x
GRJ1128+37 C ₂	112909.83+370909.6	177.870+70.570		-1.02 -1.02 -1.02	+2.415 - 1.022x
GRJ1132+33	113332.26+331806.1	188.443+72.715	o	-0.98 -0.98 -0.98	+2.941 - 0.982x
GRJ1132+34	113244.89+344015.0	184.258+72.160	o	-0.90 -0.90 -0.90	+2.486 - 0.905x
GRJ1134+30	113454.61+300525.1	199.190+73.558	ox	-0.93 -0.93 -0.93	+2.995 - 0.934x
GRJ1134+40	113445.69+404350.9	167.121+69.729		-1.07 -1.07 -1.07	+2.807 - 1.065x
GRJ1134+40 C ₂	113440.94+402115.8	168.042+69.932	o	-0.92 -0.92 -0.92	+2.317 - 0.924x
GRJ1143+29	114421.23+295825.2	198.879+75.603	io	-0.90 -0.90 -0.90	+2.729 - 0.903x
GRJ1143+29 C ₂	114327.47+300554.5	198.471+75.397	io	-1.01 -1.01 -1.01	+2.879 - 1.008x
GRJ1144+37	114419.35+370703.9	173.460+73.265	io	-0.86 -0.86 -0.86	+2.669 - 0.862x
GRJ1144+37 C ₂	114434.45+371016.8	173.211+73.281	io	-0.75 -0.75 -0.75	+2.433 - 0.749x
GRJ1145+31	114531.03+313336.9	192.420+75.587	o	-1.01 -1.01 -1.01	+3.593 - 1.015x
GRJ1146+29	114622.95+290411.2	202.418+76.118	o	-0.88 -0.88 -0.88	+2.478 - 0.880x
GRJ1150+33	115019.49+334143.3	182.900+75.905	o	-0.81 -0.94 -1.08	+3.409 - 1.690x + 0.119x ²
GRJ1150+36	115049.71+362205.1	173.318+74.768	io	-0.94 -0.94 -0.94	+2.639 - 0.940x
GRJ1153+37	115236.92+373240.1	168.902+74.402	io	-1.66 -1.66 -1.66	+3.774 - 1.659x
GRJ1153+37 C ₂	115414.10+372830.5	168.388+74.700	o	-0.94 -0.94 -0.94	+2.139 - 0.938x
GRJ1153+37 C ₃	115401.29+380507.5	166.686+74.291	o	-1.04 -1.04 -1.04	+2.906 - 1.043x
GRJ1153+37 C ₄	115354.87+381149.6	166.415+74.204	io	-0.88 -0.88 -0.88	+2.707 - 0.877x
GRJ1154+29	115413.01+291608.4	200.966+77.808	io	-0.92 -0.92 -0.92	+3.067 - 0.918x
GRJ1154+34	115504.49+343206.8	177.963+76.435	io	-0.40 -0.66 -0.94	+3.629 - 2.158x + 0.238x ²
GRJ1154+34 C ₂	115605.49+343307.0	177.473+76.611	io	-0.55 -0.80 -1.07	+3.841 - 2.234x + 0.228x ²
GRJ1154+34 C ₃	115303.91+342752.9	179.029+76.100	io	-1.04 -1.04 -1.04	+2.216 - 1.039x
GRJ1155+40	115552.54+403041.4	159.480+72.916	o	-1.01 -1.01 -1.01	+2.626 - 1.015x

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ1155+40 C_2	115614.54+404602.6	158.711+72.779		-0.50 -0.78 -1.09	$+4.077 - 2.449x + 0.265x^2$
GRJ1156+32	115609.24+321507.3	186.853+77.566	o	-0.67 -0.81 -0.96	$+2.908 - 1.640x + 0.132x^2$
GRJ1156+32 C_2	115622.62+322523.7	186.032+77.552		-0.97 -0.97 -0.97	$+1.968 - 0.972x$
GRJ1156+32 C_3	115618.48+323441.4	185.385+77.483		-1.19 -1.19 -1.19	$+2.547 - 1.193x$
GRJ1200+31	120059.77+313357.8	188.372+78.762	o	-0.91 -0.91 -0.91	$+2.963 - 0.913x$
GRJ1201+34	120053.37+341656.5	176.334+77.605	o	-0.83 -0.83 -0.83	$+2.227 - 0.834x$
GRJ1203+30	120342.01+303736.1	192.257+79.590	o	-1.23 -1.23 -1.23	$+3.227 - 1.232x$
GRJ1205+29	120452.97+293041.6	198.118+80.080	io	-0.93 -0.93 -0.93	$+2.915 - 0.926x$
GRJ1206+36	120653.17+365141.7	163.597+77.017	o	-0.98 -0.98 -0.98	$+2.766 - 0.975x$
GRJ1207+35	120731.81+350305.1	169.604+78.302	io	-1.16 -1.16 -1.16	$+3.194 - 1.165x$
GRJ1208+38	120752.03+385559.8	157.024+75.631	io	-0.93 -0.93 -0.93	$+2.665 - 0.928x$
GRJ1216+37	121634.78+372328.2	155.307+77.901	o	-0.55 -0.80 -1.07	$+3.931 - 2.248x + 0.230x^2$
GRJ1217+34	121715.15+343537.9	164.417+80.106	o	-0.51 -0.64 -0.78	$+2.516 - 1.409x + 0.122x^2$
GRJ1217+34 C_2	121650.61+344422.1	164.159+79.944	io	-0.67 -0.87 -1.09	$+3.528 - 2.047x + 0.187x^2$
GRJ1217+34 C_3	121555.60+344815.0	164.644+79.764	o	-0.38 -0.38 -0.38	$+1.378 - 0.378x$
GRJ1220+33	122033.89+334310.8	165.326+81.207	o	-0.82 -0.82 -0.82	$+2.986 - 0.819x$
GRJ1221+31	122152.92+313056.6	176.483+82.806	o	-0.99 -0.99 -0.99	$+3.012 - 0.993x$
GRJ1221+37	122025.49+380253.4	150.567+77.783	o	-0.84 -0.84 -0.84	$+1.639 - 0.836x$
GRJ1221+37 C_2	122211.09+375912.2	149.295+78.013	o	-1.21 -1.21 -1.21	$+2.872 - 1.207x$
GRJ1221+37 C_3	122044.44+380902.9	150.066+77.727		-0.40 -0.63 -0.88	$+3.208 - 1.964x + 0.212x^2$
GRJ1221+37 C_4	122020.40+381003.0	150.342+77.672	io	-1.12 -1.12 -1.12	$+2.006 - 1.118x$
GRJ1222+40	122235.13+403621.0	143.724+75.716		-1.18 -1.10 -1.00	$+2.212 - 0.573x - 0.083x^2$
GRJ1223+37	122311.06+370703.0	150.646+78.862	o	-0.88 -0.88 -0.88	$+2.361 - 0.881x$
GRJ1232+34	123241.36+344251.3	147.499+81.897	o	-0.94 -0.94 -0.94	$+2.581 - 0.942x$
GRJ1234+39	123423.30+390849.4	136.595+77.866	io	-0.48 -0.75 -1.04	$+3.992 - 2.312x + 0.248x^2$
GRJ1234+39 C_2	123511.48+391058.7	135.835+77.872		-0.72 -0.91 -1.12	$+3.644 - 2.051x + 0.181x^2$
GRJ1234+39 C_3	123504.67+392539.8	135.644+77.629	o	-1.24 -1.24 -1.24	$+3.287 - 1.236x$
GRJ1234+41	123428.16+410954.0	134.303+75.915	io	-0.83 -0.83 -0.83	$+2.403 - 0.830x$
GRJ1235+29	123454.36+291744.1	180.735+86.366	o	-0.47 -0.67 -0.88	$+3.390 - 1.806x + 0.181x^2$
GRJ1236+36	123649.96+365517.9	137.341+80.138	io	-0.85 -0.85 -0.85	$+2.615 - 0.854x$
GRJ1239+32	123909.05+323027.2	145.065+84.465	o	-0.85 -0.85 -0.85	$+2.515 - 0.846x$
GRJ1240+34	124021.23+350259.2	136.034+82.131	io	-0.93 -0.93 -0.93	$+2.260 - 0.928x$
GRJ1240+37	124043.59+374000.3	132.095+79.587		-0.54 -0.69 -0.85	$+2.357 - 1.560x + 0.138x^2$
GRJ1240+37 C_2	124025.92+374845.1	132.266+79.433	o	-0.71 -0.90 -1.10	$+3.532 - 1.988x + 0.173x^2$
GRJ1240+37 C_3	124104.14+372753.2	131.919+79.798		-0.57 -0.71 -0.85	$+2.342 - 1.480x + 0.123x^2$
GRJ1240+37 C_4	123954.39+374354.4	132.907+79.493	io	-1.42 -1.42 -1.42	$+3.097 - 1.424x$
GRJ1247+32	124720.75+320859.9	127.220+85.237	io	-0.89 -0.89 -0.89	$+2.530 - 0.893x$
GRJ1247+38	124646.09+384139.3	125.222+78.696	o	-1.08 -1.08 -1.08	$+3.044 - 1.075x$
GRJ1250+30	125025.31+301638.5	116.909+87.106	o	-1.09 -1.09 -1.09	$+2.935 - 1.089x$
GRJ1253+34	125324.30+343512.3	115.796+82.752	o	-0.79 -0.79 -0.79	$+2.021 - 0.790x$
GRJ1256+37	125617.59+371342.1	114.567+80.052	o	-1.10 -1.10 -1.10	$+3.132 - 1.096x$
GRJ1258+31	125800.56+312037.3	097.085+85.595		-0.55 -0.77 -1.01	$+3.525 - 2.036x + 0.201x^2$
GRJ1258+31 C_2	125820.97+313133.3	097.313+85.400		-1.02 -1.02 -1.02	$+2.196 - 1.024x$
GRJ1300+38	130013.62+380430.5	111.272+79.069	o	-1.02 -1.02 -1.02	$+2.950 - 1.021x$
GRJ1300+40	130032.87+400909.1	113.127+77.026	o	-1.14 -1.04 -0.92	$+2.405 - 0.407x - 0.100x^2$
GRJ1301+29	130209.74+292801.6	069.315+86.444	i	-0.98 -0.98 -0.98	$+1.982 - 0.982x$
GRJ1301+29 C_2	130145.04+295230.9	075.255+86.265	i	-0.93 -0.93 -0.93	$+1.931 - 0.932x$
GRJ1301+29 C_3	130135.94+294515.9	074.149+86.368		-1.11 -1.11 -1.11	$+1.847 - 1.109x$
GRJ1301+29 C_4	130026.02+294005.7	075.765+86.616		-1.06 -1.06 -1.06	$+2.511 - 1.064x$
GRJ1303+37	130343.94+375609.9	107.574+79.020	io	-0.89 -0.89 -0.89	$+2.564 - 0.895x$

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ1305+35	130521.50+355136.1	101.677+80.854		-0.61 -0.92 -1.26	$+4.800 - 2.754x + 0.291x^2$
GRJ1305+35 C_2	130513.31+360735.4	102.483+80.620	o	-0.83 -0.83 -0.83	$+1.716 - 0.827x$
GRJ1305+38	130457.76+383229.7	107.335+78.370		-1.33 -1.20 -1.06	$+2.280 - 0.451x - 0.119x^2$
GRJ1309+34	130935.90+335747.1	090.273+82.085	i	-0.91 -0.91 -0.91	$+1.962 - 0.914x$
GRJ1309+34 C_2	130910.31+335537.7	090.650+82.166	io	-0.98 -0.98 -0.98	$+2.235 - 0.984x$
GRJ1309+37	130934.60+372319.1	100.841+79.113	o	-0.96 -0.96 -0.96	$+2.471 - 0.963x$
GRJ1311+32	131149.55+322749.0	080.070+82.925	o	-1.01 -1.01 -1.01	$+2.933 - 1.014x$
GRJ1311+32 C_2	131028.70+322044.2	081.036+83.210	io	+0.06 +0.18 +0.30	$-1.245 + 0.849x - 0.107x^2$
GRJ1316+39	131505.93+390342.3	099.657+77.134	o	-0.88 -0.88 -0.88	$+2.160 - 0.883x$
GRJ1316+39 C_2	131541.56+385833.3	099.019+77.157	o	-0.85 -0.85 -0.85	$+1.875 - 0.847x$
GRJ1316+39 C_3	131718.69+392528.7	098.724+76.614	o	-0.45 -0.57 -0.69	$+2.621 - 1.251x + 0.109x^2$
GRJ1316+39 C_4	131750.41+391519.5	097.984+76.713		-0.88 -0.88 -0.88	$+2.136 - 0.879x$
GRJ1318+34	131736.53+342516.3	083.635+80.681	io	-0.16 -0.28 -0.50	$-0.540 - 0.000x + 6.497e^{-x}$
GRJ1318+34 C_2	131903.02+342355.1	082.228+80.491	o	-1.04 -1.04 -1.04	$+2.497 - 1.037x$
GRJ1319+29	131906.83+293833.7	053.502+83.017	io	-0.41 -0.59 -0.79	$+3.540 - 1.652x + 0.169x^2$
GRJ1319+35	131948.80+360029.8	087.681+79.190	o	-1.16 -1.12 -1.07	$+2.707 - 0.846x - 0.043x^2$
GRJ1319+35 C_2	131945.92+360457.1	087.971+79.138		-1.15 -1.15 -1.15	$+2.924 - 1.155x$
GRJ1320+37	131952.42+374724.0	092.974+77.754	o	-0.97 -0.97 -0.97	$+2.406 - 0.972x$
GRJ1320+37 C_2	132036.69+373245.0	091.746+77.871	o	-1.08 -1.08 -1.08	$+2.780 - 1.081x$
GRJ1322+29	132302.33+294133.9	052.057+82.183	o	-0.69 -0.69 -0.69	$+2.302 - 0.695x$
GRJ1322+41	132324.03+411515.0	098.204+74.451	o	-0.90 -0.90 -0.90	$+2.587 - 0.897x$
GRJ1323+31	132349.78+313331.0	063.845+81.359	i	-0.69 -0.69 -0.69	$+2.271 - 0.685x$
GRJ1323+31 C_2	132137.93+312202.8	064.126+81.863	i	-0.87 -0.87 -0.87	$+1.798 - 0.870x$
GRJ1325+36	132835.94+364750.8	083.795+77.420	o	-1.12 -1.12 -1.12	$+2.972 - 1.120x$
GRJ1325+36 C_2	132602.22+364759.9	085.536+77.771	io	-0.63 -0.63 -0.63	$+1.976 - 0.630x$
GRJ1330+30	132824.60+304430.5	056.559+80.768	io	-1.10 -1.10 -1.10	$+3.165 - 1.096x$
GRJ1330+30 C_2	133108.31+303032.3	054.144+80.277	io	-0.60 -0.46 -0.31	$+1.352 + 0.342x - 0.128x^2$
GRJ1330+30 C_3	132920.90+310512.5	058.142+80.463	io	-1.15 -1.15 -1.15	$+3.061 - 1.146x$
GRJ1330+33	133035.43+325829.0	067.352+79.433	o	-1.15 -1.15 -1.15	$+3.097 - 1.152x$
GRJ1330+33 C_2	133157.78+331206.4	067.664+79.071	o	-0.95 -0.95 -0.95	$+2.186 - 0.947x$
GRJ1333+37	133328.94+375559.9	084.261+75.930	o	-0.88 -0.99 -1.10	$+3.165 - 1.609x + 0.099x^2$
GRJ1333+37 C_2	133246.43+374543.5	084.173+76.150		-0.64 -0.85 -1.07	$+3.722 - 2.047x + 0.191x^2$
GRJ1334+40	133519.87+410003.8	090.972+73.398	i	-1.02 -1.02 -1.02	$+3.168 - 1.023x$
GRJ1335+34	133623.80+342219.8	070.379+77.685	io	-0.41 -0.78 -1.18	$+4.494 - 2.936x + 0.343x^2$
GRJ1335+34 C_2	133629.68+341444.5	069.821+77.733	o	-1.38 -1.38 -1.38	$+2.947 - 1.379x$
GRJ1335+34 C_3	133540.54+341911.2	070.534+77.840		-1.09 -1.11 -1.13	$+2.047 - 1.212x + 0.016x^2$
GRJ1338+38	133849.67+385111.0	083.941+74.539	io	-1.04 -0.95 -0.85	$+2.636 - 0.417x - 0.085x^2$
GRJ1345+36	134555.31+365013.7	074.696+74.723	io	-0.67 -0.90 -1.14	$+3.966 - 2.186x + 0.205x^2$
GRJ1345+36 C_2	134553.97+365508.4	074.962+74.680	io	-1.55 -1.39 -1.22	$+2.109 - 0.476x - 0.146x^2$
GRJ1345+36 C_3	134555.12+365359.8	074.894+74.688	i	-0.98 -0.98 -0.98	$+2.700 - 0.982x$
GRJ1345+38	134501.42+375835.3	078.529+74.197	i	-0.50 -0.69 -0.90	$+2.965 - 1.795x + 0.175x^2$
GRJ1345+38 C_2	134529.56+375531.3	078.173+74.155	o	-0.68 -0.83 -0.99	$+3.066 - 1.712x + 0.140x^2$
GRJ1346+40	134530.59+405640.3	086.006+72.158		-0.63 -0.88 -1.15	$+4.185 - 2.320x + 0.229x^2$
GRJ1346+40 C_2	134730.65+410437.5	085.455+71.796		-0.94 -0.94 -0.94	$+2.299 - 0.944x$
GRJ1348+33	134747.53+325801.7	060.252+76.146		-0.54 -0.75 -0.98	$+3.281 - 1.986x + 0.196x^2$
GRJ1348+33 C_2	135048.33+331218.6	060.301+75.471	o	-0.91 -0.91 -0.91	$+1.932 - 0.907x$
GRJ1349+29	134848.03+293918.8	046.274+76.683	io	-0.93 -0.93 -0.93	$+2.734 - 0.933x$
GRJ1350+34	135101.14+345943.4	066.673+74.744	o	-0.46 -0.71 -0.99	$+4.088 - 2.185x + 0.234x^2$
GRJ1351+31	135217.81+312646.6	053.167+75.651	i	-0.65 -0.65 -0.65	$+2.661 - 0.646x$
GRJ1355+39	135615.29+392940.0	078.190+71.535	o	-1.41 -1.35 -1.27	$+2.925 - 0.962x - 0.061x^2$

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ1355+39 C_2	135559.66+393310.6	078.433+71.541		-1.10 -1.10 -1.10	+2.634 - 1.095 x
GRJ1356+32	135646.23+322015.6	055.691+74.522	io	-1.03 -1.03 -1.03	+3.001 - 1.029 x
GRJ1401+41	140247.38+405852.5	079.607+69.652		-1.07 -1.07 -1.07	+2.131 - 1.074 x
GRJ1401+41 C_2	140411.17+404549.3	078.659+69.564		-1.20 -1.05 -0.89	+1.219 - 0.180 x - 0.139 x^2
GRJ1403+38	140311.49+382822.4	073.243+70.958	io	-0.83 -0.83 -0.83	+2.369 - 0.830 x
GRJ1403+38 C_2	140428.19+380025.5	071.621+70.966	io	-1.05 -1.05 -1.05	+2.553 - 1.049 x
GRJ1405+29	140514.86+293213.0	044.777+73.127		-1.83 -1.07 -0.60	+0.599 + 0.001 x - 0.046 e^x
GRJ1405+29 C_2	140458.13+292515.9	044.387+73.192	io	-0.51 -0.70 -0.90	+3.250 - 1.793 x + 0.174 x^2
GRJ1405+29 C_3	140610.67+293140.6	044.716+72.925	io	-0.89 -0.89 -0.89	+2.079 - 0.889 x
GRJ1406+34	140644.10+341126.1	059.950+72.016	io	-1.12 -1.12 -1.12	+3.545 - 1.116 x
GRJ1407+40	140630.30+401306.3	076.661+69.501		-1.19 -1.19 -1.19	+2.666 - 1.186 x
GRJ1408+31	140849.47+312419.0	050.783+72.187	o	-0.76 -0.89 -1.02	+3.192 - 1.611 x + 0.115 x^2
GRJ1408+31 C_2	140758.54+312123.6	050.707+72.373	o	-1.17 -1.17 -1.17	+3.190 - 1.175 x
GRJ1408+31 C_3	140959.22+312452.5	050.704+71.940	o	-1.05 -1.05 -1.05	+3.048 - 1.052 x
GRJ1416+35	141635.33+353756.6	062.310+69.658	io	-0.68 -0.86 -1.05	+3.673 - 1.902 x + 0.166 x^2
GRJ1416+35 C_2	141712.66+355240.0	062.867+69.463	io	-1.13 -1.13 -1.13	+2.856 - 1.128 x
GRJ1416+35 C_3	141605.05+355849.2	063.353+69.646	o	-1.01 -0.97 -0.93	+1.873 - 0.740 x - 0.037 x^2
GRJ1424+30	142501.11+302713.4	047.023+68.810	o	-1.03 -1.03 -1.03	+2.735 - 1.027 x
GRJ1424+30 C_2	142421.85+302913.4	047.131+68.950		-0.58 -0.79 -1.02	+3.627 - 2.015 x + 0.194 x^2
GRJ1426+37	142606.27+374900.4	066.252+67.147		-2.23 -2.10 -1.95	+4.037 - 1.318 x - 0.124 x^2
GRJ1426+40	142639.30+400107.9	071.299+66.213		-1.08 -1.08 -1.08	+1.955 - 1.077 x
GRJ1426+40 C_2	142428.72+395319.5	071.441+66.646		-0.85 -0.85 -0.85	+2.103 - 0.853 x
GRJ1426+40 C_3	142603.46+402427.4	072.291+66.152	o	-0.80 -0.80 -0.80	+1.631 - 0.800 x
GRJ1432+34	143315.31+345138.8	058.017+66.556	i	-1.13 -1.13 -1.13	+2.617 - 1.127 x
GRJ1434+31	143514.73+314049.5	049.950+66.559	o	-1.14 -1.14 -1.14	+3.234 - 1.145 x
GRJ1440+29	144009.06+294622.0	045.197+65.543	i	-1.03 -1.03 -1.03	+2.279 - 1.029 x
GRJ1440+29 C_2	143832.95+293354.2	044.670+65.886		-1.07 -0.93 -0.78	+1.100 - 0.128 x - 0.128 x^2
GRJ1440+35	144102.56+353045.9	058.825+64.869	o	-1.38 -1.23 -1.08	+2.165 - 0.397 x - 0.133 x^2
GRJ1442+32	144200.15+323420.0	051.871+65.068	io	-0.14 -0.23 -0.42	-0.591 - 0.001 x + 5.402 e^{-x}
GRJ1442+32 C_2	144228.48+323443.2	051.868+64.969	io	-1.28 -1.28 -1.28	+2.487 - 1.279 x
GRJ1442+32 C_3	144242.89+324314.1	052.193+64.907		-0.31 -0.54 -0.97	-1.958 + 0.002 x + 12.547 e^{-x}
GRJ1442+32 C_4	144322.22+322946.5	051.641+64.786	o	-1.01 -1.01 -1.01	+1.995 - 1.009 x
GRJ1444+35	144446.46+360618.2	059.833+64.012	io	-0.85 -0.85 -0.85	+2.357 - 0.847 x
GRJ1445+41	144435.19+410702.2	070.594+62.648	i	-0.89 -0.87 -0.84	+1.471 - 0.715 x - 0.024 x^2
GRJ1445+41 C_2	144651.80+412115.9	070.744+62.164		-0.63 -0.77 -0.94	+2.723 - 1.643 x + 0.138 x^2
GRJ1445+41 C_3	144631.20+413324.5	071.198+62.151		-0.98 -0.98 -0.98	+2.633 - 0.975 x
GRJ1447+37	144709.84+372225.3	062.395+63.274	o	-1.34 -1.17 -1.00	+1.817 - 0.222 x - 0.151 x^2
GRJ1449+33	144731.22+330605.3	052.880+63.870	io	-0.97 -0.97 -0.97	+1.709 - 0.966 x
GRJ1449+33 C_2	144932.94+333023.4	053.707+63.413	io	-0.23 -0.57 -0.94	+3.499 - 2.556 x + 0.316 x^2
GRJ1449+33 C_3	144840.56+325031.1	052.253+63.648		-0.81 -0.81 -0.81	+1.520 - 0.814 x
GRJ1449+36	144912.42+363009.1	060.318+63.059	o	-0.85 -0.85 -0.85	+2.104 - 0.849 x
GRJ1449+36 C_2	145040.98+362729.9	060.099+62.776	o	-1.04 -1.04 -1.04	+2.566 - 1.038 x
GRJ1449+39	144929.60+394821.9	067.258+62.195		-0.76 -0.93 -1.12	+3.939 - 1.964 x + 0.164 x^2
GRJ1449+39 C_2	144902.69+395954.0	067.707+62.219		-0.73 -0.73 -0.73	+1.921 - 0.729 x
GRJ1450+37	145036.25+374510.2	062.864+62.524		-0.99 -0.99 -0.99	+2.164 - 0.985 x
GRJ1450+37 C_2	144937.00+372225.3	062.154+62.799	o	-1.20 -1.20 -1.20	+2.507 - 1.202 x
GRJ1450+37 C_3	144844.62+373002.5	062.511+62.940	i	-0.95 -0.95 -0.95	+1.590 - 0.953 x
GRJ1450+37 C_4	144917.02+374843.2	063.120+62.764	i	-1.16 -1.16 -1.16	+2.617 - 1.156 x
GRJ1452+38	145206.52+385734.3	065.222+61.944	o	-0.89 -0.89 -0.89	+2.461 - 0.895 x
GRJ1455+35	145550.20+350946.9	056.992+61.944	o	-0.90 -0.90 -0.90	+2.577 - 0.898 x

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ1458+31	145914.22+315735.3	050.145+61.456	io	-1.18 -1.18 -1.18	+3.018 - 1.182x
GRJ1503+29	150311.20+292301.0	044.892+60.522		-0.85 -0.85 -0.85	+1.858 - 0.852x
GRJ1503+29 C_2	150350.37+294534.8	045.674+60.408	i	-1.29 -1.29 -1.29	+2.947 - 1.287x
GRJ1506+40	150733.92+403015.5	066.746+58.681		-0.42 -0.65 -0.90	+3.349 - 2.000x + 0.215x ²
GRJ1506+40 C_2	150636.98+402628.3	066.712+58.872	i	-0.62 -0.82 -1.03	+3.348 - 1.965x + 0.182x ²
GRJ1506+40 C_3	150602.91+403130.7	066.921+58.956	i	-0.59 -0.68 -0.78	+1.745 - 1.213x + 0.084x ²
GRJ1506+40 C_4	150816.86+404230.5	067.064+58.500	i	-1.05 -1.09 -1.13	+2.151 - 1.297x + 0.033x ²
GRJ1506+40 C_5	150515.65+410327.2	067.993+58.964		-1.17 -1.17 -1.17	+2.243 - 1.168x
GRJ1508+30	150743.14+301308.1	046.697+59.598	io	-0.59 -0.82 -1.06	+3.980 - 2.156x + 0.213x ²
GRJ1508+30 C_2	150926.78+300252.7	046.408+59.215	i	-0.93 -0.93 -0.93	+2.058 - 0.927x
GRJ1509+33	150909.15+340515.1	054.315+59.310		-1.40 -1.40 -1.40	+3.199 - 1.398x
GRJ1509+33 C_2	150956.75+332702.6	053.058+59.172	i	-0.31 -0.69 -1.10	+4.600 - 2.897x + 0.351x ²
GRJ1510+37	151039.46+373826.5	061.119+58.649		-0.62 -0.79 -0.97	+3.216 - 1.775x + 0.157x ²
GRJ1510+37 C_2	151008.91+374955.7	061.512+58.719	o	-1.21 -1.07 -0.91	+1.954 - 0.210x - 0.136x ²
GRJ1510+37 C_3	150816.48+372515.3	060.835+59.149	io	-1.07 -1.07 -1.07	+2.348 - 1.072x
GRJ1511+32	151130.99+322754.1	051.134+58.856	io	-0.72 -0.92 -1.14	+3.827 - 2.097x + 0.187x ²
GRJ1511+32 C_2	151330.05+322807.3	051.145+58.438	o	-1.05 -1.05 -1.05	+2.381 - 1.049x
GRJ1514+31	151523.92+320341.4	050.382+58.031		-0.45 -0.71 -0.99	+3.784 - 2.232x + 0.242x ²
GRJ1514+31 C_2	151355.32+315759.9	050.189+58.342	i	-0.96 -0.96 -0.96	+2.024 - 0.964x
GRJ1514+31 C_3	151214.85+315805.8	050.179+58.697	o	-1.75 -1.02 -0.57	+0.938 + 0.000x - 0.044e ^x
GRJ1514+31 C_4	151544.95+310741.4	048.628+57.923		-0.92 -0.92 -0.92	+2.157 - 0.918x
GRJ1514+36	151443.20+365049.8	059.420+57.952	io	-0.83 -0.83 -0.83	+2.601 - 0.833x
GRJ1514+39	151403.46+391710.4	063.989+57.720		-0.78 -0.95 -1.14	+3.570 - 1.959x + 0.160x ²
GRJ1514+39 C_2	151359.93+384233.8	062.927+57.832		-1.11 -1.11 -1.11	+2.326 - 1.110x
GRJ1516+33	151636.35+330738.2	052.392+57.786	io	-1.04 -1.04 -1.04	+2.693 - 1.045x
GRJ1516+33 C_2	151547.41+330206.8	052.220+57.957		-1.13 -1.13 -1.13	+2.648 - 1.132x
GRJ1516+33 C_3	151723.17+331044.5	052.487+57.622	io	-0.82 -0.82 -0.82	+1.534 - 0.819x
GRJ1518+34	151714.63+342600.1	054.831+57.624	o	-1.03 -1.03 -1.03	+2.268 - 1.027x
GRJ1518+34 C_2	151851.10+341106.7	054.349+57.301	i	-0.68 -0.77 -0.87	+2.232 - 1.311x + 0.086x ²
GRJ1518+34 C_3	151919.31+343506.7	055.082+57.191	io	-1.08 -1.08 -1.08	+2.363 - 1.082x
GRJ1521+30	152134.32+304313.6	048.013+56.652	io	-0.26 -0.45 -0.81	-1.722 + 0.001x + 10.470e ^{-x}
GRJ1525+29	152546.15+293843.7	046.234+55.654		-0.37 -0.69 -1.04	+4.184 - 2.564x + 0.298x ²
GRJ1525+29 C_2	152505.18+294056.2	046.272+55.805		-1.66 -1.44 -1.21	+1.165 - 0.170x - 0.202x ²
GRJ1528+37	152827.94+373809.5	060.337+55.150	o	-1.14 -0.92 -0.68	+0.957 + 0.354x - 0.202x ²
GRJ1528+37 C_2	152900.23+372000.7	059.795+55.069	io	-0.99 -0.99 -0.99	+2.434 - 0.988x
GRJ1531+33	153040.95+335406.4	053.798+54.853	io	-1.01 -1.01 -1.01	+2.670 - 1.010x
GRJ1531+33 C_2	153005.45+335136.7	053.724+54.975	o	-1.12 -1.12 -1.12	+2.780 - 1.117x
GRJ1531+35	153125.36+353340.5	056.672+54.683	io	-1.02 -0.93 -0.84	+2.391 - 0.437x - 0.079x ²
GRJ1531+40	153140.87+404819.7	065.641+54.139	io	-1.01 -1.01 -1.01	+2.688 - 1.006x
GRJ1534+34	153436.99+341300.2	054.353+54.041		-0.46 -0.73 -1.02	+3.803 - 2.295x + 0.249x ²
GRJ1534+34 C_2	153523.11+342259.3	054.638+53.884	i	-0.67 -0.84 -1.02	+3.399 - 1.814x + 0.155x ²
GRJ1534+34 C_3	153548.86+342633.7	054.740+53.796	o	-0.82 -0.97 -1.14	+3.576 - 1.874x + 0.143x ²
GRJ1536+32	153621.55+325627.3	052.208+53.643	o	-0.84 -0.84 -0.84	+1.958 - 0.844x
GRJ1536+32 C_2	153643.80+325437.0	052.163+53.564		-1.10 -1.10 -1.10	+2.144 - 1.103x
GRJ1538+37	153940.47+373023.6	059.845+52.944	o	-1.01 -1.01 -1.01	+2.325 - 1.008x
GRJ1538+37 C_2	153824.03+375106.1	060.443+53.175	i	-1.14 -1.14 -1.14	+2.251 - 1.136x
GRJ1538+37 C_3	153817.49+372326.5	059.677+53.224	o	-0.80 -0.80 -0.80	+1.501 - 0.798x
GRJ1538+37 C_4	153555.20+374624.5	060.368+53.669	i	-1.05 -1.05 -1.05	+2.023 - 1.053x
GRJ1538+40	153750.25+402248.3	064.654+53.042		-0.66 -0.66 -0.66	+1.305 - 0.664x
GRJ1538+40 C_2	153704.60+402300.7	064.690+53.185		-0.25 -0.43 -0.76	-1.596 + 0.001x + 9.912e ^{-x}

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ1538+40 C_3	153742.11+403757.3	065.076+53.035	o	-1.07 -1.07 -1.07	+2.370 - 1.065 x
GRJ1541+34	154127.30+341040.2	054.333+52.627	io	-0.87 -0.87 -0.87	+2.608 - 0.870 x
GRJ1544+37	154444.98+371309.3	059.302+51.949	o	-0.86 -0.86 -0.86	+2.491 - 0.864 x
GRJ1547+35	154641.43+353343.3	056.617+51.578	io	-0.29 -0.66 -1.06	+4.569 - 2.818 x + 0.343 x^2
GRJ1547+35 C_2	154714.03+353230.4	056.587+51.467	io	-1.01 -1.01 -1.01	+2.622 - 1.007 x
GRJ1547+35 C_3	154709.01+353849.3	056.755+51.485	io	-0.24 -0.42 -0.76	-1.191 + 0.003 x + 9.866 e^{-x}
GRJ1549+30	154912.59+304715.0	049.069+50.748	io	-1.15 -1.03 -0.89	+2.165 - 0.302 x - 0.115 x^2
GRJ1549+38	154944.10+382829.2	061.252+50.916	o	-0.98 -0.98 -0.98	+2.819 - 0.975 x
GRJ1551+33	155125.85+335557.4	054.076+50.552	o	-1.21 -1.21 -1.21	+3.287 - 1.211 x
GRJ1554+41	155523.15+410715.0	065.274+49.660	i	-1.24 -1.24 -1.24	+2.674 - 1.244 x
GRJ1554+41 C_2	155603.49+410009.1	065.076+49.543	i	-1.15 -1.15 -1.15	+2.521 - 1.152 x
GRJ1555+33	155612.86+331625.0	053.156+49.514	o	-0.64 -0.82 -1.02	+3.128 - 1.896 x + 0.171 x^2
GRJ1555+33 C_2	155630.36+332504.4	053.385+49.465	o	-0.70 -0.82 -0.94	+2.797 - 1.497 x + 0.108 x^2
GRJ1555+33 C_3	155539.25+325823.0	052.680+49.606	io	-0.94 -0.94 -0.94	+2.199 - 0.938 x
GRJ1557+35	155742.14+353024.6	056.612+49.337	io	-1.01 -1.01 -1.01	+2.653 - 1.014 x
GRJ1557+35 C_2	155559.45+353950.8	056.836+49.690	io	-0.94 -0.94 -0.94	+2.026 - 0.940 x
GRJ1557+35 C_3	155726.03+360133.6	057.406+49.408	io	-0.54 -0.69 -0.85	+2.681 - 1.560 x + 0.138 x^2
GRJ1557+35 C_4	155810.32+351728.0	056.287+49.233	io	-0.91 -0.91 -0.91	+2.410 - 0.906 x
GRJ1601+34	160130.97+342313.4	054.972+48.498	o	-0.92 -0.92 -0.92	+2.811 - 0.922 x
GRJ1604+37	160508.95+371845.4	059.406+47.890	io	-0.83 -0.83 -0.83	+2.146 - 0.833 x
GRJ1604+37 C_2	160533.78+372250.8	059.510+47.809	io	0.06 -0.40 -0.90	+4.604 - 3.093 x + 0.428 x^2
GRJ1608+28	160811.31+284901.1	047.066+46.380	o	-1.15 -1.07 -0.98	+2.326 - 0.571 x - 0.079 x^2
GRJ1609+32	161003.39+325843.8	053.132+46.601	io	-0.83 -0.83 -0.83	+2.880 - 0.830 x
GRJ1611+38	161043.90+385700.2	061.841+46.811	o	-0.87 -0.87 -0.87	+2.596 - 0.867 x
GRJ1613+37	161351.22+374258.0	060.066+46.176	o	-1.02 -1.02 -1.02	+2.596 - 1.018 x
GRJ1616+34	161732.35+350226.2	056.308+45.267		-0.86 -0.86 -0.86	+2.921 - 0.859 x
GRJ1617+32	161743.28+322302.3	052.575+44.927	io	-0.75 -0.75 -0.75	+2.722 - 0.755 x
GRJ1620+29	162044.34+293905.7	048.949+43.845	io	-1.07 -1.07 -1.07	+2.858 - 1.067 x
GRJ1620+29 C_2	162129.00+293941.9	049.004+43.688	i	-0.85 -0.90 -0.95	+2.622 - 1.192 x + 0.047 x^2
GRJ1624+34	162425.48+340649.2	055.226+43.760	io	-1.14 -1.03 -0.92	+1.251 - 0.424 x - 0.097 x^2
GRJ1624+34 C_2	162550.03+341220.0	055.401+43.482	io	-1.23 -1.23 -1.23	+2.852 - 1.233 x
GRJ1629+39	162838.34+393259.9	062.800+43.359	io	-1.64 -1.43 -1.20	+3.084 - 0.181 x - 0.198 x^2
GRJ1630+36	163046.30+361309.9	058.295+42.703	io	-1.00 -1.00 -1.00	+2.829 - 0.999 x
GRJ1631+40	163212.52+404625.7	064.507+42.721	i	-0.37 -0.64 -1.15	-2.288 + 0.001 x + 14.902 e^{-x}
GRJ1631+40 C_2	163138.53+401544.3	063.805+42.812	o	-0.13 -0.72 -1.35	+6.285 - 4.146 x + 0.545 x^2
GRJ1631+40 C_3	162911.99+402536.3	064.009+43.282		-0.88 -1.02 -1.17	+3.197 - 1.844 x + 0.131 x^2
GRJ1642+29	164241.08+295544.6	050.593+39.237	io	-0.91 -0.91 -0.91	+2.654 - 0.910 x
GRJ1643+37	164305.93+372934.3	060.331+40.384	o	-0.98 -0.98 -0.98	+3.160 - 0.983 x
GRJ1646+40	164715.12+405222.7	064.829+39.884	i	-0.31 -0.57 -0.85	+3.064 - 2.091 x + 0.242 x^2
GRJ1646+40 C_2	164642.85+404912.6	064.751+39.982		-1.20 -1.20 -1.20	+2.523 - 1.200 x
GRJ1646+40 C_3	164629.83+405202.6	064.809+40.026		-0.58 -0.86 -1.16	+3.732 - 2.477 x + 0.257 x^2
GRJ1646+40 C_4	164829.30+410405.7	065.104+39.665	o	0.17 -0.24 -0.68	+3.853 - 2.632 x + 0.380 x^2
GRJ1646+40 C_5	164903.62+410440.2	065.126+39.558		-0.95 -0.95 -0.95	+2.076 - 0.953 x
GRJ1646+40 C_6	164514.59+405025.0	064.753+40.261	i	-0.75 -0.75 -0.75	+1.469 - 0.754 x
GRJ1646+40 C_7	164604.65+410312.8	065.045+40.117	o	-0.97 -0.97 -0.97	+2.075 - 0.971 x
GRJ1647+37	164806.01+380105.8	061.155+39.460	i	-0.54 -0.85 -1.18	+4.695 - 2.666 x + 0.289 x^2
GRJ1647+37 C_2	164725.72+375218.3	060.947+39.575	o	-0.91 -0.91 -0.91	+2.611 - 0.912 x
GRJ1647+37 C_3	164800.02+374429.6	060.796+39.447	o	-1.06 -1.06 -1.06	+3.100 - 1.057 x
GRJ1650+29	165100.24+295200.5	051.026+37.465	i	-0.95 -0.95 -0.95	+2.426 - 0.953 x
GRJ1650+29 C_2	165107.50+294029.4	050.798+37.395		-0.70 -0.84 -1.00	+2.373 - 1.662 x + 0.130 x^2

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ1650+29 C_3	165101.25+295633.3	051.120+37.479	io	-0.56 -0.84 -1.14	+4.098 - 2.466 x + 0.259 x^2
GRJ1650+29 C_4	164932.20+293245.8	050.539+37.702	io	-0.74 -0.78 -0.83	+1.591 - 1.015 x + 0.037 x^2
GRJ1650+29 C_5	165043.73+292639.8	050.490+37.426	io	-1.00 -0.89 -0.78	+1.227 - 0.276 x - 0.098 x^2
GRJ1650+34	165110.48+343248.8	056.850+38.358	o	-0.58 -0.76 -0.96	+3.178 - 1.822 x + 0.169 x^2
GRJ1650+34 C_2	164855.71+343858.1	056.882+38.831		-0.77 -0.82 -0.88	+2.137 - 1.114 x + 0.046 x^2
GRJ1650+34 C_3	165026.87+345534.3	057.296+38.568	i	-0.86 -0.86 -0.86	+2.112 - 0.864 x
GRJ1650+34 C_4	165209.01+342316.9	056.694+38.133		-0.73 -0.73 -0.73	+1.496 - 0.729 x
GRJ1650+34 C_5	164936.71+350827.7	057.533+38.771	io	-1.01 -1.01 -1.01	+2.717 - 1.013 x
GRJ1659+29	165936.88+295511.6	051.635+35.663	i	-1.34 -1.34 -1.34	+3.030 - 1.344 x
GRJ1659+29 C_2	170016.84+295044.7	051.589+35.505	i	-0.79 -0.79 -0.79	+1.841 - 0.794 x
GRJ1659+29 C_3	170043.79+300800.3	051.961+35.480	io	-0.48 -0.53 -0.58	+1.851 - 0.814 x + 0.045 x^2
GRJ1659+29 C_4	165935.70+301822.5	052.096+35.760	i	-0.68 -0.75 -0.82	+2.278 - 1.148 x + 0.064 x^2
GRJ1659+32	165901.72+322819.6	054.674+36.359	io	-1.24 -1.24 -1.24	+3.305 - 1.243 x
GRJ1659+32 C_2	165903.16+322604.6	054.630+36.346	o	-0.98 -0.98 -0.98	+2.342 - 0.980 x
GRJ1659+32 C_3	170025.72+323303.4	054.847+36.087	io	-0.82 -0.82 -0.82	+2.286 - 0.817 x
GRJ1659+32 C_4	170011.78+323533.2	054.884+36.144	io	-0.98 -0.98 -0.98	+2.572 - 0.976 x
GRJ1704+29	170407.21+294659.4	051.765+34.683	o	-0.71 -0.71 -0.71	+2.388 - 0.713 x
GRJ1705+38	170501.46+384038.3	062.522+36.254	o	-0.98 -0.98 -0.98	+3.169 - 0.984 x
GRJ1709+34	170939.03+342550.2	057.590+34.596	io	-0.99 -0.99 -0.99	+2.892 - 0.987 x
GRJ1709+39	171057.62+394135.2	063.966+35.263		-1.13 -1.13 -1.13	+3.156 - 1.129 x
GRJ1713+29	171332.26+294837.9	052.424+32.714	o	-1.14 -1.14 -1.14	+2.929 - 1.137 x
GRJ1713+29 C_2	171410.02+300123.2	052.710+32.638	io	-1.10 -1.10 -1.10	+2.784 - 1.104 x
GRJ1715+41	171545.10+411951.5	066.101+34.593	i	-0.34 -0.58 -0.85	+3.042 - 2.018 x + 0.228 x^2
GRJ1715+41 C_2	171649.38+412138.6	066.171+34.398		-0.50 -0.75 -1.02	+3.627 - 2.222 x + 0.234 x^2
GRJ1715+41 C_3	171712.20+412319.5	066.216+34.331		-0.95 -0.95 -0.95	+2.446 - 0.949 x
GRJ1721+35	172109.54+354216.4	059.676+32.560	i	-0.17 -0.29 -0.52	-0.369 - 0.007 x + 6.635 e^{-x}
GRJ1721+35 C_2	172157.06+353934.4	059.665+32.393	i	-0.68 -0.77 -0.87	+2.261 - 1.288 x + 0.082 x^2
GRJ1723+34	172323.75+341611.3	058.145+31.793	i	-0.68 -0.68 -0.68	+2.298 - 0.679 x
GRJ1725+40	172516.26+403641.7	065.579+32.707	io	-1.16 -1.06 -0.95	+2.346 - 0.464 x - 0.095 x^2
GRJ1725+40 C_2	172405.32+400436.8	064.907+32.837	io	-0.13 -0.23 -0.42	-0.431 + 0.001 x + 5.402 e^{-x}
GRJ1727+31	172817.92+314611.8	055.620+30.174	io	-0.79 -0.75 -0.71	+2.404 - 0.526 x - 0.036 x^2
GRJ1730+38	173043.95+381639.6	063.112+31.231	i	-0.78 -0.78 -0.78	+2.312 - 0.779 x
GRJ1730+41	173046.40+405502.0	066.151+31.735	i	-1.07 -1.07 -1.07	+2.663 - 1.065 x
GRJ1730+41 C_2	173124.15+410143.2	066.305+31.638	i	-0.96 -0.96 -0.96	+2.322 - 0.965 x
GRJ1731+32	173112.56+323346.5	056.691+29.790	i	-0.82 -0.82 -0.82	+2.405 - 0.824 x
GRJ1731+32 C_2	173053.09+321728.6	056.368+29.784	i	-0.81 -0.81 -0.81	+1.740 - 0.810 x
GRJ1735+36	173353.01+364707.5	061.576+30.297	io	-1.08 -1.08 -1.08	+2.448 - 1.084 x
GRJ1735+36 C_2	173416.04+365013.3	061.654+30.233	i	-0.87 -1.03 -1.19	+3.031 - 1.926 x + 0.143 x^2
GRJ1735+36 C_3	173646.09+363420.8	061.492+29.684	o	-0.91 -0.91 -0.91	+1.842 - 0.910 x
GRJ1737+34	173711.45+340633.5	058.779+28.989	io	-1.05 -1.05 -1.05	+2.819 - 1.051 x
GRJ1739+31	173854.38+312630.1	055.973+27.912	i	-0.93 -0.93 -0.93	+2.522 - 0.932 x
GRJ1739+31 C_2	174100.86+310509.6	055.736+27.378	o	-0.86 -0.86 -0.86	+2.541 - 0.859 x
GRJ1740+33	174109.08+330537.9	057.918+27.922	io	-1.06 -1.06 -1.06	+2.895 - 1.064 x
GRJ1741+29	174158.68+292817.8	054.077+26.695	io	-0.77 -0.84 -0.92	+2.867 - 1.245 x + 0.064 x^2
GRJ1741+29 C_2	174236.16+293058.2	054.172+26.579	i	-1.07 -1.07 -1.07	+2.844 - 1.066 x
GRJ1744+39	174537.73+395131.0	065.616+28.750	io	-0.56 -0.69 -0.82	+3.068 - 1.410 x + 0.115 x^2
GRJ1744+39 C_2	174638.81+393727.4	065.407+28.506	i	-1.05 -1.05 -1.05	+2.696 - 1.053 x
GRJ1744+39 C_3	174655.88+391919.0	065.087+28.383	io	-0.88 -0.88 -0.88	+2.143 - 0.883 x
GRJ1745+34	174501.01+341921.9	059.502+27.486	io	-0.90 -0.90 -0.90	+1.978 - 0.897 x
GRJ1745+34 C_2	174626.22+345447.4	060.232+27.366	i	-0.90 -0.90 -0.90	+1.920 - 0.899 x

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ1745+34 C_3	174630.22+350334.7	060.395+27.392	io	-0.98 -0.98 -0.98	+2.299 - 0.983x
GRJ1749+35	174926.82+355325.2	061.476+27.038	i	-0.80 -0.90 -1.01	+3.035 - 1.503x + 0.096x ²
GRJ1751+29	175146.30+295017.7	055.204+24.790	io	-0.92 -0.92 -0.92	+2.799 - 0.918x
GRJ1755+37	175544.69+374240.6	063.817+26.311	io	-1.52 -1.31 -1.08	+1.913 - 0.077x - 0.196x ²
GRJ1756+39	175601.69+394842.7	066.101+26.800	io	-1.21 -1.21 -1.21	+3.104 - 1.209x
GRJ1800+30	180108.15+295111.5	055.945+22.875	io	-0.91 -0.91 -0.91	+2.527 - 0.908x
GRJ1800+30 C_2	180026.55+302020.1	056.389+23.178	i	-0.74 -0.69 -0.64	+0.984 - 0.396x - 0.047x ²
GRJ1802+39	180231.61+394857.0	066.464+25.595	io	-1.37 -1.37 -1.37	+3.438 - 1.365x
GRJ1805+38	180502.18+383447.8	065.296+24.791	o	-1.21 -1.21 -1.21	+2.912 - 1.205x
GRJ1805+38 C_2	180700.12+390158.9	065.893+24.550	io	-0.68 -0.93 -1.20	+4.368 - 2.400x + 0.234x ²
GRJ1805+38 C_3	180742.47+390326.4	065.961+24.425		-0.87 -0.87 -0.87	+2.029 - 0.867x
GRJ1805+41	180554.58+410541.1	068.018+25.312		-0.92 -0.92 -0.92	+2.188 - 0.923x
GRJ1805+41 C_2	180511.22+411007.9	068.058+25.463		-1.15 -1.15 -1.15	+2.579 - 1.152x
GRJ1805+41 C_3	180711.36+411728.5	068.298+25.132	i	-1.05 -1.05 -1.05	+2.768 - 1.055x
GRJ1808+32	180841.07+323438.7	059.307+22.254	io	-1.14 -1.14 -1.14	+3.162 - 1.142x
GRJ1808+34	180744.63+344726.7	061.512+23.149	io	-0.94 -0.94 -0.94	+2.438 - 0.942x
GRJ1810+30	181014.28+304825.0	057.630+21.349	io	-0.89 -0.89 -0.89	+2.646 - 0.894x
GRJ1810+40	181055.66+404523.1	067.941+24.308	o	-1.72 -1.49 -1.24	+2.212 - 0.139x - 0.215x ²
GRJ1810+40 C_2	181015.36+410918.5	068.324+24.540	i	-0.70 -0.85 -1.00	+3.423 - 1.682x + 0.133x ²
GRJ1816+40	181600.03+395601.6	067.382+23.147	io	-0.51 -0.69 -0.87	+3.312 - 1.699x + 0.161x ²
GRJ1817+37	181823.59+370949.0	064.684+21.852	io	-0.93 -0.93 -0.93	+2.429 - 0.934x
GRJ1817+37 C_2	181609.99+371424.2	064.611+22.297	i	-0.95 -0.95 -0.95	+2.374 - 0.955x
GRJ1817+37 C_3	181744.83+364920.6	064.291+21.866	i	-0.87 -0.87 -0.87	+2.135 - 0.870x
GRJ1819+31	182039.19+310722.9	058.779+19.368	io	-0.65 -0.83 -1.03	+3.446 - 1.897x + 0.169x ²
GRJ1819+31 C_2	181926.86+313016.8	059.060+19.744	i	-0.77 -0.83 -0.91	+2.220 - 1.225x + 0.062x ²
GRJ1820+35	182102.13+360215.8	063.724+20.985	io	-1.07 -1.07 -1.07	+3.209 - 1.068x
GRJ1820+35 C_2	182042.18+354038.8	063.337+20.929	io	-0.38 -0.60 -0.84	+3.879 - 1.896x + 0.206x ²
GRJ1822+37	182216.76+372550.5	065.223+21.206	i	-0.98 -0.98 -0.98	+2.611 - 0.982x
GRJ1823+29	182248.04+293131.7	057.384+18.355	io	-0.97 -0.97 -0.97	+2.842 - 0.966x
GRJ1835+32	183506.98+324214.2	061.510+17.090	i	-0.55 -0.62 -0.69	+3.221 - 1.015x + 0.063x ²
GRJ1835+35	183447.95+350945.0	063.882+18.058	i	-0.34 -0.73 -1.14	+4.662 - 2.967x + 0.356x ²
GRJ1835+35 C_2	183345.38+350944.7	063.801+18.256	i	-0.93 -0.93 -0.93	+2.243 - 0.932x
GRJ1835+35 C_3	183521.67+351118.9	063.952+17.960	i	-0.87 -0.87 -0.87	+1.755 - 0.870x
GRJ1835+38	183516.57+384537.4	067.470+19.241	i	-1.07 -1.07 -1.07	+2.666 - 1.068x
GRJ1835+38 C_2	183522.96+383149.6	067.249+19.142	i	-1.08 -1.08 -1.08	+2.574 - 1.082x
GRJ1841+37	184113.61+371317.7	066.392+17.599	i	-0.80 -0.80 -0.80	+2.313 - 0.799x
GRJ1841+37 C_2	184115.09+371151.4	066.371+17.585	io	-0.20 -0.34 -0.62	-0.796 - 0.000x + 8.002e ^{-x}
GRJ1841+37 C_3	184112.52+371419.2	066.408+17.608	i	-0.86 -0.86 -0.86	+2.255 - 0.864x
GRJ1841+40	184045.04+404235.3	069.790+18.928	io	-0.99 -0.99 -0.99	+2.843 - 0.986x
GRJ1847+29	184750.27+300636.5	060.137+13.578	i	-0.96 -0.96 -0.96	+2.652 - 0.961x
GRJ1847+29 C_2	184626.05+295030.3	059.757+13.746	i	-1.02 -1.02 -1.02	+2.815 - 1.018x
GRJ1847+34	184749.15+345033.0	064.619+15.467	i	-0.27 -0.46 -0.82	-1.193 + 0.003x + 10.701e ^{-x}
GRJ1859+34	185951.69+342507.5	065.245+13.028	i	-1.10 -1.10 -1.10	+2.927 - 1.104x
GRJ1902+30	190156.51+300535.5	061.429+10.801	i	-1.11 -1.11 -1.11	+3.187 - 1.113x
GRJ1903+31 C_2	190402.42+315544.5	063.314+11.185	i	-1.00 -1.00 -1.00	+2.950 - 0.998x
GRJ1903+31 C_3	190255.95+315942.1	063.272+11.425	io	-0.38 -0.44 -0.51	+2.488 - 0.820x + 0.060x ²
GRJ1915+30	191556.74+301952.8	063.003+08.193	io	-0.69 -0.69 -0.69	+2.585 - 0.689x
GRJ2047+30	204738.80+304633.3	074.041-08.164	i	-0.98 -0.98 -0.98	+2.762 - 0.975x
GRJ2047+30 C_2	204640.20+310644.3	074.174-07.790	i	-0.82 -0.82 -0.82	+2.110 - 0.822x
GRJ2047+30 C_3	204558.40+310605.9	074.072-07.681	i	-1.24 -1.24 -1.24	+3.339 - 1.236x

Table 4: APPENDIX. Radio identification and spectra of decametric sources. (continued)

1	2	3	4	5	6
Name	hhmmss.ss+ddmmss.s	$l^\circ + b^\circ$	Id	α	Spectrum
GRJ2114+40	211409.97+403641.5	085.054–05.703	i	–0.49 –0.58 –0.67	$+2.349 - 1.085x + 0.081x^2$
GRJ2156+37	215552.17+380029.1	089.322–13.054	io	–1.21 –1.09 –0.96	$+3.142 - 0.388x - 0.111x^2$
GRJ2231+39	223118.82+392048.9	095.960–15.937	i	–0.97 –0.82 –0.67	$+1.788 + 0.031x - 0.136x^2$
GRJ2238+41	223801.71+410739.5	098.046–15.058	i	–1.04 –1.04 –1.04	$+2.911 - 1.044x$
GRJ2238+41 C_2	223753.28+410121.6	097.968–15.136	i	–0.85 –0.89 –0.93	$+2.260 - 1.120x + 0.037x^2$
GRJ2238+41 C_3	223549.89+410955.4	097.695–14.818	i	–1.29 –1.29 –1.29	$+3.500 - 1.293x$
GRJ2238+41 C_4	223902.84+404832.8	098.055–15.430	i	–0.67 –0.80 –0.94	$+2.998 - 1.545x + 0.119x^2$
GRJ2245+39	224549.29+394122.0	098.667–17.036	io	–1.11 –1.00 –0.88	$+3.148 - 0.377x - 0.099x^2$
GRJ2252+39 C_1	225435.49+392422.2	100.103–18.067	i	–0.54 –0.59 –0.64	$+1.830 - 0.885x + 0.047x^2$
GRJ2252+39 C_2	225344.58+393059.5	100.001–17.895	i	–1.18 –1.18 –1.18	$+2.550 - 1.184x$
GRJ2306+39	230603.68+392822.5	102.244–18.953	i	–0.50 –0.69 –0.90	$+3.648 - 1.806x + 0.177x^2$
GRJ2307+40	230753.64+404148.6	103.102–17.974	i	–1.27 –1.27 –1.27	$+3.288 - 1.272x$
GRJ2307+40 C_2	230705.31+401009.0	102.732–18.397	i	–0.79 –0.79 –0.79	$+1.316 - 0.786x$
GRJ2307+40 C_3	230542.07+401729.2	102.529–18.178	i	–0.87 –0.87 –0.87	$+1.505 - 0.869x$
GRJ2313+38	231347.21+384218.9	103.384–20.250	i	–1.48 –1.48 –1.48	$+3.207 - 1.475x$
GRJ2313+38 C_2	231400.16+390150.8	103.558–19.965	o	–0.68 –0.68 –0.68	$+1.406 - 0.684x$
GRJ2318+36	231853.99+360520.8	103.339–23.056	io	–1.37 –1.19 –0.99	$+1.441 - 0.111x - 0.171x^2$
GRJ2318+36 C_2	231849.80+361104.1	103.363–22.962		–1.15 –1.15 –1.15	$+2.934 - 1.154x$
GRJ2318+36 C_3	231859.96+355623.1	103.300–23.203	io	–1.02 –1.02 –1.02	$+2.630 - 1.020x$
GRJ2327+40	232655.78+404810.5	106.685–19.189	io	–0.72 –0.72 –0.72	$+2.641 - 0.721x$
GRJ2328+29	232810.79+293710.4	102.759–29.792	io	–0.93 –0.93 –0.93	$+3.058 - 0.930x$
GRJ2341+40	233943.62+400844.8	108.935–20.559	i	–0.70 –0.77 –0.84	$+2.050 - 1.143x + 0.060x^2$
GRJ2341+40 C_2	234245.29+401753.7	109.573–20.573	i	–0.72 –0.77 –0.83	$+1.701 - 1.066x + 0.047x^2$
GRJ2341+40 C_3	234010.05+403111.7	109.133–20.224	io	–0.80 –0.80 –0.80	$+1.393 - 0.797x$
GRJ2353+33	235220.92+330403.2	109.565–28.054	o	–0.95 –0.95 –0.95	$+2.883 - 0.955x$
GRJ2353+33 C_2	235411.35+325511.8	109.949–28.291	o	–0.99 –0.99 –0.99	$+3.166 - 0.993x$

